



This product is IP44 - suitable for installation in zones: 2 & Outside Zone

All installations must comply with guidelines which are based on a zonal concept. The diagram above illustrates this concept and must be followed to ensure the safe installation of electrical appliances in the bathroom. These regulations apply to domestic installations only. Installations must be made in accordance with the current IEE wiring regulations and relevant building regulations. **HiB recommends that all electrical bathroom products should only be fitted by a suitably qualified, Part P registered electrician.**

Installation

1. Position the mirror in a suitable location (according to the zonal diagram - Fig. 1), ensuring that the domestic electrical mains supply is within reach of the electrical entry point of the product.
2. Carefully mark the position of the mirror using a soft pencil.
3. Remove the mirror and mark the mounting points according to the diagram on the left. **Please ensure that all marked mounting points accurately match up with the fixing points on the mirror.**
4. **Before drilling, ensure there are no hidden cables or pipes behind the mounting points.** Using a masonry drill, drill holes in the marked positions to a suitable depth. If drilling through tile, use a ceramic drill bit.
5. Insert wall plugs level with the surface of the wall. If fitting to a tiled surface, wall plugs should be inserted below the tile surface to avoid cracking. *NB. For plasterboard walls, specialist fixings should be purchased, available from any DIY or hardware store.*
6. Slide the mirror upwards, so that it detaches from the frame.
7. **Ensure the domestic electrical mains supply to which the mirror is being connected is turned off.** Feed the domestic mains supply wire through the grommet on the mirror frame.
8. Hold the frame in position, and screw through the holes in the frame into the wall plugs. Connect the domestic mains supply to the terminal box according to the wiring diagram (Fig. 3).
9. Slide the mirror onto the frame so that it becomes secure.
10. Switch Electrical mains supply to which the mirror is connected to back on.

Halifax Art No. 64123095

Thank you for purchasing this HiB product.

Please read through these instructions carefully and refer back to them during installation to ensure that your product is fitted safely and that it retains its high quality finish.

Please retain this leaflet for future reference.

Before installation, ensure the domestic electrical mains supply to which the mirror is to be connected is turned off. Before drilling, ensure that there are no hidden cables or pipes in the wall.

Bulb Replacement:

Requires 2 x T8 bulbs, Maximum 18 Watts

CAUTION: The surface of the bulb may become extremely hot! Allow at least 30 minutes after bulb failure before replacing...

1. Turn off the mains electrical supply and disconnect the wiring between the mains electrics and the mirror.
2. Slide the mirror upwards, so that it detaches from the frame.
3. Carefully grasp the failed bulb and rotate 90° anti-clockwise to remove the bulb from the bulb holder.
4. Carefully push the replacement bulb into the bulb holder and rotate 90° clockwise to secure.
5. Slide the mirror onto the frame so that it becomes secure.

Operating Instructions:

To turn illumination on or off, operate the pull cord located at the bottom of the mirror.

Care Instructions:

Do not use abrasives or solvents when cleaning this product.

Wipe off all water spillages as soon as possible using a soft, damp cloth.


Aftercare Service

In the unlikely event that this product should fail please contact HiB customer services, details shown below.


Mounting points diagram (Fig. 2)

Rear View

- Mounting Points
- Electrical Input



Wiring Diagram (Fig. 3)



WEEE compliance

Must not be mixed with general household waste