


Fitting Instructions.

Wall Units

When fitting wall suspension plates a datum line should be marked on the wall at the required height. Using the dimensions shown (see fig 5) fix suspension plates to the wall using suitable fixings for the wall type (Not Supplied).

Units may now be hung onto the plates and levelled using adjuster screws in the hanging brackets (see fig 6).

Once the unit has been positioned correctly fit blanking plugs.




Door Removal & Adjustment

To remove the door, press the rear spring clip at the back of the hinge plate (A) to release the hinge (B) from the plate, always unclip the bottom hinge first (See Fig 13&14).

Door Handle

For all finishes place the door on a firm flat piece of cleans scrap material. Mark the handle position you require and drill a 1mm pilot hole through from the face of the door, turn over the door and drill a 5mm hole through (See Fig16). Fix the handle(s) with screw(s) provided (See Fig 17).



Caring for your furniture

All our products are finished with durable lacquers and paints, which are designed to be resistant to liquids, staining and warm objects. In order to ensure that your newly purchased Heritage furniture maintains its finish for many years to come, we advise that you take note of the following, please see aftercare instructions.

Element	For Your Guidance
Environmental Humidity	As part of your new bathroom installation & to ensure the protection of your Heritage furniture from moisture ingress arising from humidity/dampness levels, we recommend that a suitable extraction unit be installed. As the room size & general use (shower frequency etc) of bathrooms vary from household to household, your retailer or installer will be best placed to advice on the type & specification, which will most suit your space & usage.
Water spillage/overspray/tap/ Pipe/joint leakage	Although all Heritage furniture is designed & manufactured to provide a water resistant coating, this does not mean that the furniture is waterproof. Therefore, we strongly advise that any water spillage and/or overspray does not sit for a prolonged period of time & is quickly wiped away in order to prevent any permanent damage. Additional care to maintain component edges i.e worktops & doors must be carried out as these areas may be susceptible to moisture dwell. Should damage occur as a result of this or leakage, contact your retailer as it may be possible to repair the product with spare parts*, or in extreme case the product may need to be replaced*.
Cabinet Cleaning	Occasionally wipe the surface with a soft, damp cloth & dry with a soft dry cloth. Do not use any abrasive cleaning agents or materials.
Metal work cleaning	Clean the door handles & rails with a soft damp cloth & dry with a soft dry cloth. Do not use metal polishes or abrasives, which will damage the finish.
Hot objects	Do not apply heat directly to any surface
Cosmetics	Whilst all furniture is designed, manufacture & independently tested to provide a durable coating, cosmetics (such as lipstick & hair dye) should be used with care as damage to the surface coating may occur.

Characteristics of Furniture.

Great care has been taken to ensure your product meets with your expectations from the point of selection to completion of installation & for the years following. There are however, some inherent characteristics with furniture that should be considered, please take note of the points detailed below.

Furniture/construction Characteristics for your guidance

Door(s) sticking during operation	When a door is hung on a cabinet there is a period where the natural settling of the door may cause it to stick, should this be the case, slight adjustment of the hinge will correct this, if not check the unit has not been twisted out of square during installation. Alternatively contact our Technical Support Team.
Colour (timber products only)	Our manufacturing process selects, grades & colour matches timbers & veneers, & the characteristics in the grain will never be quite the same between two pieces. This may appear as colour variation as they mature in colour under normal lighting conditions, sunlight will accentuate this process. If in direct sunlight, marking may occur should anything obscure the sun from the surface.

Guarantee.

All products are manufactured to the highest standards and a 5-year guarantee covers any defect in manufacture.



Before starting any installation project please consider the following:
Prior to drilling into walls, check there are no hidden electrical wires or cables or water supply pipes with the aid of an electrical detector.
If you use power tools do not forget:

- Wear eye protection
- Unplug equipment after us

Contact Details.

If you require further assistance please contact Heritage Sales and Technical Enquiries:

Sales : 0844 701 8501

Technical: 0844 701 8503

Email: Technical@heritagebathrooms.com

Website: www.heritagebathrooms.com

Heritage Bathrooms
Unit 6 Albert Road
St Philips Central
Bristol
BS2 0XJ

