


Instructions for LED bathroom mirror


(Applicable to sensor touch control)

Notes: to ensure the normal use of products, it is required set out wires as per the regulations of IEE at the installation places. The products are only applicable to being installed on the indoor solid wall, etc. The installation must be executed by a professional electrician, and wrong installation may lead to product damage and personal injury.


Installation tools (as shown below)




Tape measure




Level



Electric drill



Screwdriver



Hammer

Installation instruction:


- 1、 Make certain the wall is solid, and use the tape measure to measure the centre distance between two hardy holes on the mirror frame (“a” and “b” in Fig. 2).
- 2、 Use the tape measure to measure the centre distance between two hardy holes on the wall (“a” and “b” in Fig. 2), and mark them out with a pencil.
- 3、 Choose the drill with an appropriate drill bit to make two holes at the marked places, and use a special ceramic drill bit if the wall surface is made of ceramic tiles.
- 4、 Use the hammer to tap the expansion rubber plug in accessory bag into the holes on the wall, and then use the screwdriver to tighten the screws into the holes (expose for 8 – 12mm).
- 5、 Switch off the power, and then use a terminal block to connect the three-core exposed wires with those reserved on the wall
- 6、 Hang the product on the screw crossing two hardy holes to fix it.
- 7、 Finally, switch on the power, and then touch the “Switch” sign (Fig.1) with a finger on the lens to test the products.

Tips: Set the time: ① touch with a finger (3-5”), release the finger when the “Hour” flashes, and then touch slightly to adjust the “Hour” to the current time. The same method should be followed to adjust the “Minute”

② Touch at the side of the product with a finger (3-5”), release the finger when the “Hour” flashes, and then touch to adjust the “Hour” to the current time. The same method should be followed to set the “Minute”.



Fig. 1



①
②
Interrupteur





Fig. 2

Wiring diagram for input




LUMINAIRE

MAINS SUPPLY

Fig. 3

Schematic diagram



- ① LED Strip
- ② Sensor touch control
- ③ Constant-voltage power
- ④ Anti-foggy (optional function)
- ⑤ Shaving socket (optional function)
- ⑥ Transfer relay (work with anti-foggy)

Warm tips:

- 1、 During operation, never put hard and sharp materials directly against the mirror surface, or otherwise, it may result in current leakage and even personal injury accident.
- 2、 Never forget to turn off the power switch in storm days, or otherwise, lightning may damage electric elements of the product.
- 3、 During normal operation, never forcibly pull out the power plug to stop the product, or otherwise, electric elements of the product may be damaged.
- 4、 Please pull out the power plug if the product is not used for a long time.