

## AFTERCARE INSTRUCTIONS

Whilst this item has a high quality durable finish, it should nevertheless be treated with care. Surfaces should be cleaned using only a soft damp cloth and clean water & dried using a soft cotton cloth.

Bath cleaning products, even non-scratch ones could damage the finished surface.

## 5-YEAR GUARANTEE


We have complete confidence in this Roper Rhodes product and as such it is offered with a 5-year guarantee against defects in manufacture. The guarantee requires that this product be used in the manner for which it was intended and that it is installed & maintained in accordance with the fitting instructions and local water byelaws. The guarantee covers products in domestic use only.

The guarantee is invalidated should the valve be damaged by water borne debris. Make sure that supply pipes are clear of any debris prior to installation, this is particularly important on new plumbing installations.

In the unlikely event that this product should fail during the guarantee period we will either replace the faulty part or the complete unit as appropriate.

Telephone Help Line: 01225 334148

Roper Rhodes Limited  
Brassmill Lane Trading Estate  
Bath  
BA1 3JF



[www.roperrhodes.co.uk](http://www.roperrhodes.co.uk)

0605/stormbt

# STORM


## BASIN TAPS (pair)

---

Installation & Aftercare Instructions

Please retain for future reference

---



## INSTALLATION PROCEDURE

- 1) Prior to installation flush out the pipe work to remove debris & then ensure that the water supply is turned off.
- 2) Refer to diagram & check that all components are present.
- 3) Install both taps onto the basin in the sequence shown in the diagram using washers and nuts provided.
- 4) Connect the water supply & check for leaks. Hot supply should always be connected to the left hand tap.
- 5) Fully open both taps & allow water to run for approximately one minute to further flush the system.
- 6) Check all connections for leaks.

### General Notes:

These taps should be installed in accordance with water regulations. Approved check valves should be fitted where required. For further details please contact your local water authority.

Should taps fail to operate effectively it may be that there is insufficient water pressure. A reputable plumber will be able to advise on this issue.