


Chatsworth Traditional 673 x 490mm Arched Mirror - Chrome -TMC01



INSTALLATION INSTRUCTIONS

Please follow these care instructions to ensure your product retains it's high quality finish and please retain this leaflet for future reference.


<u>Installation Recommendations</u>

- Please handle carfully to aviod breaking the mirror.
- All products must be inspected thoroughly before installation.
- Damaged product can not be replaced once installed.
- To ensure that the product is installed correctly, please read these instructions before starting

Before starting the installation, please ensure that you have checked any walls before drilling for any wires/cables or water supply pipes

Installation

- 1. Make certain the wall is solid and suitable to safely accommodate the mirrors overall weight when installed.
- 2. Measure the height from the top of the frame to the centre of the centre hole.
- 3. Use a ruler and a level to draw a straight line on the wall, roughly as high as the mirror. This will indicate the height of the mirror
- 4. Measure the center of the two keyhole fittings on the back of the mirror
- 5. Make two marks on the line
- 6. Using an electric drill and approriatly sized drill bit, drill a hole using the marks made as a guide
- 7. Place the rawl plugs into the drilled holes
- 8. Insert the screws into the rawl plugs, allowing 10mm distance between the wall and end of the screw (See Fig. 1)
- 9. Place the mirror in position on the wall on the screws (See Fig. 2)



WARNING!

We recommend that this product is installed by a qualified tradesperson and we accept no liability for products fitted incorrectly, and where the correct testing procedures have not been used, resulting in the escape of water.