

**GEBERIT AQUACLEAN MERA
COMFORT**

GEBERIT




QUICK GUIDE




Getting to know your device

The device at a glance



- 1 WC lid
- 2 Remote control with magnetic wall-mounted holder
- 3 WC seat ring with WC seat heating and QuickRelease function
- 4 Lateral control panel with status LED
- 5 Dryer arm with dryer nozzle
- 6 Spray arm with spray nozzle and Lady shower nozzle
- 7 Ceramic honeycomb filter (art. no. 242.999.00.1)
- 8 Spray shield
- 9 Geberit AquaClean cleaning set (art. no. 242.547.00.1)
Geberit AquaClean descaling agent (art. no. 147.040.00.1)
- 10 Geberit AquaClean descaling agent (art. no. 147.040.00.1)



- 1 Filling opening with plug for Geberit AquaClean descaling agent
- 2 Specification plate with serial number
- 3 Design cover with magnet
- 4 Power switch

Operating concept


About the operating concept

The shower toilet can be operated via remote control, the lateral control panel on the shower toilet and the Geberit Home App.

- i** The remote control function of the Geberit AquaClean shower toilet is deactivated while the shower toilet is connected to the Geberit Home App.

Front side of the remote control


All functions for daily use can be operated from the front side of the remote control.



- 1 <Shower> button: start and stop the spray functionality / lift or lower the WC lid / stop the dryer functionality and the Lady shower
- 2 <->/<+> buttons: decrease or increase the spray intensity/dryer air intensity
- 3 <left>/<right> arrow keys: set the spray arm position
- 4 <Lady shower> button: start and stop the Lady shower
- 5 <Dryer> button: start and stop the dryer
- 6 <Odour extraction> button: start and stop odour extraction
- 7 <User profile> buttons: select the user profiles 1–4

Rear side of the remote control


You can access system settings and additional functions from the rear side of the remote control.



- 1 Battery compartment
- 2 LCD display
- 3 <up>/<down>, <left>/<right> arrow keys

Lateral control panel

The shower toilet functions of the device can be operated from the lateral control panel on the shower toilet.



- 1 <up>/<down> buttons: decrease or increase the spray intensity
- 2 Status LED
- 3 <Shower> button: start or stop the anal shower or the Lady shower

Downloading the Geberit Home app

Download the free Geberit Home app for Android and iOS smartphones directly from the respective App Store:

- 1** Open the App Store on your smartphone.
- 2** Enter "Geberit Home app" in the search field.
 - ✓ The Geberit Home app is displayed.



- 3** Download the app.
 - ✓ The app is downloaded and displayed on your smartphone.

Alternatively, you can scan the respective QR code to download the Geberit Home app:

Android:



iOS:



Using the Geberit Home App

The Geberit Home App communicates via a Bluetooth® interface with the Geberit AquaClean shower toilet.

i The remote control function of the Geberit AquaClean shower toilet is deactivated while the shower toilet is connected to the Geberit Home App.

i Please note that your device may not offer remote control or individual functions may not be available. The functions and settings in the Geberit Home App vary from device to device and are marked with (optional) where appropriate.

You can execute the following functions and settings via the Geberit Home App:

- Remote control
 - Using remote control functions
 - Adjusting and saving personal settings
- Device settings
 - Adjusting and saving basic settings
- Geberit customer service
 - Establishing contact with Geberit customer service
- Geberit services
 - Registering the device
 - Extending warranty services
- Software update
 - Updating the firmware

You can access the following information via the Geberit Home App:

- Step-by-step instructions
 - Cleaning the spray nozzle and dryer arm (optional)
 - Replacing the ceramic honeycomb filter (optional)
 - Displaying descaling
- Explanatory videos
 - Playing function videos
 - Playing maintenance and cleaning videos
- Troubleshooting
 - Display error messages
- User manual
 - Displaying the user manual



How to use the device

Re-assigning the remote control



The device can only be operated with a single, assigned remote control.

- Press the <+> button on the remote control and the <up> button on the lateral control panel for approx. 30 seconds until [Pairing ok] appears on the display.



Result


- ✓ The shower toilet can be controlled by remote control.

Using the anal shower



Prerequisite

- You are sitting down on the WC seat ring.

- 1 Press the <Shower> button on the remote control.



- 2 Or: press the <Shower> button on the lateral control panel.



Result

- ✓ The shower procedure starts with the oscillating motion.




- You can stop the shower procedure early by pressing the <Shower> button once again.

Setting the spray intensity


Prerequisite

- The shower procedure is running.
- The spray intensity can be set in 5 levels.


1 Press the <+> button on the remote control.



2 Press the <-> button on the remote control.



3 Or: Press the <top> or <bottom> button on the lateral control panel.



Result

- ✓ This adapts the shower spray.


Setting the spray arm position

Prerequisite

- The shower procedure is running.
- The spray arm position can be set in 5 levels.

► Press the <left> or <right> button.

- ✓ The spray arm moves forwards or backwards.



Result

- ✓ The spray arm is optimally positioned.


Switching the oscillating motion of the anal shower on and off

i The oscillating motion of the spray arm increases the cleaning effect.

Prerequisite

- The shower procedure is running.

► Press the [left] and [right] arrow keys at the same time to switch the oscillating motion off and on during the shower procedure.



Using the Lady shower




The woman's intimate area is a very sensitive zone and requires special and prudent care. The Lady shower must be set to your ergonomic conditions to achieve an optimal cleaning result. The position of the spray nozzle and the spray intensity must be selected so that the shower spray cannot penetrate the vagina.


Prerequisite

- You are sitting down on the WC seat ring.

- 1 Press the <Lady shower> button on the remote control.



- 2 Or: Press the <Shower> button on the lateral control panel for 2 seconds.



Result

- ✓ The Lady shower switches on and the shower procedure starts.




You can stop the shower procedure early by pressing the <Lady shower> button once again.

Using the dryer

Prerequisite

- You have ended the shower procedure.

- Press the <Dryer> button on the remote control.



Result

- ✓ The drying procedure starts.


-
- You can stop the drying procedure early by pressing the <Dryer> button once again.

Setting the dryer air intensity


Prerequisite

- The drying procedure is running.
- The dryer air intensity can be set in 5 levels.

- 1 Press the <+> button on the remote control.



- 2 Press the <-> button on the remote control.




Result

- ✓ The dryer air intensity is adjusted.

Saving user profiles

4 different user profiles can be stored via the <user profile> buttons on the remote control.

- i** User profiles allow you to access your personal settings directly. Select your user profile as soon as you sit down.
- Press one of the 4 <user profile> buttons for more than 2 seconds.



Result

- ✓ The current settings are saved to this button.



The following functions can only be configured from the rear side of the remote control:

- WC seat heating
 - shower water temperature
 - warm air temperature
- See Creating a user profile

How to clean the device

Suitable cleaning agents and cleaning equipment

ATTENTION

Aggressive descaling agents

Unsuitable descaling agents may cause damage to the device.

- Only use Geberit AquaClean descaling agents to descale the device.
► Refer to the "Descaling the device" section.

ATTENTION

Aggressive and scouring cleaning agents

Cleaning using aggressive and scouring cleaning agents can cause surface damage.

- Use Geberit AquaClean cleaning agents.
► Pay attention to the cleaning and care instructions.

Using the Geberit AquaClean cleaning set is recommended, as this set includes a ready-made cleaning agent that is ideal for cleaning all Geberit AquaClean surfaces.

Recommended properties of suitable cleaning agents and cleaning equipment for best cleaning results:

Symbol	Properties of suitable cleaning agents
	Skin-friendly
	Cleaning agents are permitted to have a low acid content, e.g. diluted citric acid
	Low-foaming
	Liquid
	Water-dilutable

Symbol	Suitable cleaning equipment
	Soft, fine-pored sponges
	Lint-free, soft cloths which are free of dust
	Toilet brush

(CH) Geberit Vertriebs AG

Schachenstrasse 77
CH-8645 Jona
T 0848 882 982
www.geberit-aquaclean.ch

(DE) Geberit Vertriebs GmbH

Kundendienst/Servicestelle
Theuerbachstrasse 1
D-88630 Pfullendorf
T (075 52) 934 10 11
F (075 52) 934 866
www.geberit-aquaclean.de

(AT) Geberit Vertriebs GmbH & Co. KG

Gebertstrasse 1
A-3140 Pottenbrunn / St. Pölten
T +43 2742 401-500
www.geberit-aquaclean.at

(AE) Geberit International Sales AG

Dubai Branch
B702-B705
Building No. 1
Dubai Design District
PO Box
UAE-282317 Dubai
T +971 4 204 5477
F +971 4 204 5497
www.geberit.ae

(BE) Geberit nv

Ossegemstraat 24
B-1860 Meise
T +32 2 252 0111
F +32 2 251 0867
www.geberit-aquaclean.be

(BG) Юнитрейд Интернешънъл ЕООД

бул. "Черни връх" 161-A
1407 София
T 02/ 968 11 11
F 02/ 968 10 01
www.unitrade-bg.com

(CN) 吉博力(上海)贸易有限公司

地址: 上海市嘉定区南翔高科
技园区惠平路1515 号
邮编: 201802

(CZ) Geberit spol. s r.o.

Sokolovská 2408/222
190 00 Praha 9
T +420 547 212 335
F +420 547 212 340
www.geberit.cz

(DK) Geberit A/S

Lægårdsvæj 26
DK-8520 Lystrup
T +45 86 74 10 86
F +45 86 74 10 98
www.geberit-aquaclean.dk

(ES) Geberit, S.A.U.

Plaza Europa, 2-4, 6^a planta
ES-08902 L'Hospitalet del Llobregat
(Barcelona)
T +34 902 170 635
www.geberit-aquaclean.es

(FI) Geberit Oy

Tahkotie 1
FI-01530 Vantaa
P +358 9 867 8450
www.geberit.fi

(FR) Geberit France

ZA du Bois Gasseau - CS40252 Samoreau
FR-77215 Avon Cedex
Téléphone 01 60 71 66 61
T +33(0)825 801 603
F +33(0)825 801 604
www.geberit-aquaclean.fr

(GB) Geberit Sales Ltd.

Geberit House
Edgehill Drive
Warwick
CV34 6NH
T (0)1926 516 800
T (0)1926 516 809
In Eire T +44 1622 717 811
www.geberit-aquaclean.co.uk

(HR) Predstavništvo Geberit

prodaja d.o.o. Ruše
Samoborska cesta 218
10090 Zagreb, HR
T +385 1 3867 800
F +385 1 3867 801
www.geberit.hr

(HU) Geberit Kft

1117 Budapest,
Alíz utca 2.
T +36 1 204 4187
www.geberit.hu

(IT) Geberit Marketing e Distribuzione SA

Via Gerre 4
CH-6928 Manno
T +41 91 611 92 92
F +41 91 611 93 93
www.geberit-aquaclean.it

(LU) Geberit Luxembourg

61, avenue de la Libération
L-3850 Schifflange
T +352 54 52 26
F +352 54 54 91
www.geberit.lu

(NL) Geberit B.V.

Fultonbaan 15
3439 NE Nieuwegein
T +31 (0)3060 57700
F +31 (0)3060 53392
www.geberit-aquaclean.nl

(NO) Geberit AS

Luhrtoppen 2
N-1470 Lørenskog
T +47 67 97 82 00
www.geberit-aquaclean.no

(PL) Geberit Sp. z o.o.

ul. Postępu 1
02-676 Warszawa
T +48 22 843 06 96
www.geberit-aquaclean.pl

(PT) Geberit Tecnologia Sanitária, S.A

Rua Cupertino de Miranda, nº 12-2º A
PT-1600-485 LISBOA
www.geberit.pt

(RO) Geberit International Sales AG

Splaiul Unirii, Nr. 86, Et. 3
Sector 4, Bucharest
T +40 21 330 30 80/81
F +40 21 330 31 61
www.geberit.ro

(RS) Geberit - Predstavništvo za

Republiku Srbiju i Republiku Crnu Goru
Vojvode Skopljanca 24
SR-11000 Beograd
T + 381 11 30 96 430
F + 381 11 30 96 431
www.geberit.rs

(RU) ОOO „ГЕБЕРИТ РУС“

Олимпийский пр., 16, стр.5, 5 этаж
129110 Москва
тел.: +7 495 783 83 30
www.geberit.ru

(SE) Geberit AB

Folketshusgatan 1
Box 140
295 22 Bromölla
T +46 40 680 89 30
www.geberit.se

(SI) Geberit prodaja, d.o.o.

Bezena 55
2342 Ruše
T 01 586 22 00
F 01 586 22 19
www.geberit.si

(SK) Geberit Slovensko s.r.o.

Karadžičova 10
821 08 Bratislava 2
T +421 2 49 20 30 71
www.geberit.sk

(TR) Geberit Tesisat Sistemleri Tic Ltd. ti.

İçerenköy Mah. Engin Sok. No. 10,
34752 Atasehir-İstanbul, Turkey
T +90 216 340 82 73
F +90 216 340 82 79
www.geberit.com.tr

(ZA) Geberit Southern Africa (Pty.) Ltd.

6 Meadowview Lane,
Meadowview Business Estate,
Longmeadow,
Linbro Park
Johannesburg,
South Africa
T +27 11 444 5070
F +27 11 444 5992
www.geberit.co.za