# **User Manual**

firm's

Ĩ



Industville Limited are a rapidly expanding company specialising in the manufacture of unique industrial vintage reproduction lighting and furniture.

Industville designs and creates its own range of unique, handcrafted products in addition to working closely with clients to produce bespoke lighting and furniture solutions. These have included a variety of distinguished retail, leisure and hospitality companies such as Jamie Oliver's Restaurants, Waterstones, Costa Coffee, Pizza Express, Ask Italian, Zizzi, Café Nero and Lush in addition to smaller scale interior projects and retail customers. The strength of our company lies in the fact that, our products are available in large numbers and offer the look and feel of vintage, retro industrial lighting without the cost and time-constraints of searching for originals. Nevertheless, as all our products are hand finished by our skilled craftsmen in our dedicated factory, they retain an authentic and individual quality that holds true to the ethos and feel, unique to vintage industrial lighting and furniture.

**Electrical Installation**Maintenance & Cleaning 5 **Changing The Bulb**What You Will Need <sub>9</sub> Parts 11 **Rewiring HolderInstalling BracketsIP Ratings**

### This Instruction Booklet is designed to help you through each step of owning your new product, from installation to use.

Please read these instructions carefully before assembly to ensure safe and satisfactory operation of this product. Please retain these instructions for future use. Do not modify or alter any product before or after installation. This may render the product unsafe and void the warranty. Carefully unpack and examine the product for any damage. If you think there is a defect, do not use and contact our customer services on: **+44(0) 20 7971 7871** 

#### **Safety Information**

- We always recommend installation by a qualified electrician.
- This product is produced in conformity with all relevant safety regulations.
- If in doubt about fitting this product, please always consult a qualified electrician.
- To reduce the risk of fire, electrical shock or personal injury, always turn off and unplug lamp and allow it to cool prior to replacing light bulb.
- Ensure the power is switched off from the mains before cleaning or carrying out any maintenance.
- Check existing wires hanging from junction box for wear or fraying before installing your new light.

- Don't attach your new light fixture wiring to any existing wiring that shows signs of wear and tear, including frays or burn marks as this may be a fire hazard and may also necessitate calling an electrician.
- Unless otherwise stated our products are only suitable for indoor use and must not be installed in areas where they may be subjected to high humidity or water. Please refer to Individual IP rating, further information can be found on the Industville website.
- Maintain a safe distance from lamp holder to surfaces, keeping a minimum 30mm distance from heated light source to shade.

#### **Care Instructions**

{}}

- Avoid the use of all polishers, cleaners and abrasives, as they will damage the handmade finish of your product.
- To remove dust or fingerprints wipe gently with a soft clean cloth.
- Ensure the power is switched off from the mains and allow to cool before cleaning or carrying out any maintenance on electrical products.
- Glass shades should be only washed in lukewarm water and dried thoroughly before refitting.
- When changing the bulb ensure that the power supply has been disconnected and the bulb has cooled down before replacing.



#### Assembly

Your Industville product may require a small amount of assembly. Please refer to **www.industville.co.uk** for individual product assembly instructions. Industville User Manual available as downloadable PDF.

#### **Electrical Installation**

4

- 1. Always disconnect power and allow to cool before servicing or cleaning.
- 2. Ensure the electrical supply is switched off.
- 3. Ensure that the electrical circuit to which this fitting is to be connected with has been installed and fused in accordance with current IEE wiring regulations, BS7671.
- 4. Products must also be installed in accordance with UK Building Regulations where applicable.
- Position the fitting where desired and confirm the method of fixing which will be required: wood screw for wood, or wood screw/wall plug for brick and masonry.
- 6. Carefully identify the location of the mains supply cable and any other cables in the area in which you intend to fix the lamp in order to avoid damage or injury during installation.
- 7. Carefully support the holder during the following wiring/connection procedure.

8. Using the connector block supplied, carefully connect your lamp to the housing wiring as detailed in the following diagram:



- Carefully bind the terminal block and the cable either side with insulation tape (not supplied) ensuring that tape fully covers the cable beyond the point where the outer insulation has been stripped.
- 10. Install the mounting bracket using mounting screws (screws not provided).
- 11. Screw the threaded rod from the ceiling rose to the mounting bracket and secure into place.

#### Maintenance & Cleaning

Caution - Always disconnect power supply when servicing or cleaning.

- Use a clean dry soft cloth.
- Do not use abrasive cloths or polishes as this may cause damage to the product.
- · Glass shades should be only washed with in

lukewarm water and dried thoroughly before refitting.

Wipe down any excess moisture with a dry cloth frequently to retain the protective lacquer.



#### **Changing The Bulb**

Caution - Always disconnect power supply when servicing or cleaning.

- Turn off the power supply.
- Allow the bulb to cool down before touching it.
- Ensure you can safely reach the bulb by using a stepladder.
- Remove the existing bulb out of the socket, keep twisting anticlockwise until the bulb comes loose from the socket.
- Insert a replacement E27 bulbs lightly but firmly into the socket. Depending on the type, turn it clockwise until it locks into place or keeps twisting clockwise until it won't go any further.
- Once the bulb is in, turn the power back on again and switch on the light.
- Safely dispose of the old bulb, taking extra care as the glass is fragile and sharp.
- Remember to check the wattage on the used bulb and replace it with a bulb of the same wattage.
- Dispose of the bulb out of reach of children.
- Do not put your finger in an exposed Light Socket.
- Check old wires hanging from junction box for wear and tear or fraying before
  installing your new light. Do not attach your new light fixture wiring to any old wiring
  that shows signs of wear, including frays or burn marks. This may be a hazard and may
  also require calling an electrician.



# You Will Need



Please find the tools you will need detailed detailed in the table below. If you have any questions regarding this please contact the office on +44(0)20 7971 7871 or email support@industville.co.uk

	TOOLS
1	Wire Cutter / Stripper
2	Flat Head Screw Driver
3	Pliers
4	Choc Block
5	Insulation tape
6	Mounting Screws





# **Parts** [1] 2 [3] [4] 0

Listed below are parts that have been referenced throughout this manual. All included with your Industville purchase. Please note: the designmay vary slightly. If any of the above items are missing or damaged please contact contact the office on +44(0)20 7971 7871 or email support@industville.co.uk

SHADE MATERIAL HOLDER OPTIONS	
1   Thread Screw	
2 Cord Grip / Grub Screw	
3   Plastic Ring	
4   Bracket	

11

# **Rewiring Holder**



Warning! The following steps can only be carried out by a fully qualified electrician.

Important - Class I product MUST be earthed to be used with 3 core Cable Flex. Using a at screwdriver unlock the catch to remove the lamp holder from casing.

	INSTRUCTIONS
1	Your light fitting comes fully assembled to rewire please follow the steps below.
2	Unscrew the little black screw on the black grub screw.
3/4	Remove the black screw cap by unscrewing in an anti-clockwise direction.
5	Using a flat screwdriver unlock the catch to remove the lamp holder from casing.
6	This will release the holder in order for it to be removed, like the image shown.

# **Rewiring Holder**



Warning! The following steps can only be carried out by a fully qualified electrician.

If you have any questions regarding this please contact the office on +44(0)20 7971 7871 or email support@industville.co.uk

	INSTRUCTIONS
7	Now remove the gold casing by unscrewing in anti-clockwise direction.
8/9	Disconnect the remaining wires on the respective ends of the phenolic holder, as shown.
10	Gently pull back the grub screw from the holder.
11	Gently pull through the discounted wires.
12	All the components should now be disassembled, cut the flex cable to its desired length, follow the steps in reverse to reassemble and rewire with your new flex cable.



# **Installing Brackets**



Please follow the steps detailed in the table below. If you have any questions regarding this please contact the office on +44(0)20 7971 7871 or email support@industville.co.uk

	STEPS
1	Remove side screws from the ceiling bracket using a cross Phillip Screw driver.
2	Attach the mounting bracket to the ceiling with mounting screws. (Not provided).
3	Make the connections as per the wirings instructions.
4	After tucking back, the wiring in the ceiling, Attach the ceiling canopy to mounting bracket with the help of mounting screws.





#### **IP Ratings**

All lights and fittings are measured on this feature known as an IP rating. Our wide range of lighting have different rating levels, dependant on how effective they are protected against exterior elements such as liquids or solid materials, this will dictate where your lights can be installed and how much moisture or external force it can safely encounter.

**IP65 / Zone 1** – suitable for indoor, bathroom and outdoor installation - IP rated as "dust tight" and protected against water projected from a nozzle. Limited Ingress permitted.

**IP44 / Zone 2** – suitable for indoor, and in zone 2 bathroom installations – IP rated as protected against solid objects over 1mm (tools, wires, and small wires) and protected against water sprayed from all directions. Limited Ingress permitted.

**IP20 / Zone 3** – suitable for indoor and outside zone 2 bathroom installation - IP rated as protected against solid objects over 12mm, e.g. fingers but zero protection against liquids. No water Ingress permitted.



# Pendants

Our range of pendant light fittings have been designed to emphasis the sharp lines, exposed hardware and raw sophistication indicative of the industrial style. Nevertheless, Industville endeavour to offer a variety of options to ensure the flexibility of the look to its clients own individual projects. This can be utilised through our bespoke painting service alongside a variety of different finishes, holders, high quality fabric flex and light-bulbs to enable our customers to create a unique and personal light fitting to suit any space.

**Brooklyn** 20 **Brooklyn Outdoor &** Bathroom 60 **Orlando** 74 Handcrafted 78 Retro 84 **Bulkhead** 92 **Old Factory** 100 Sleek 112

#### **Specifications**

- We meet all UK and EU lighting and safety regulations.
- Edison screw E27 lamp-holders are fitted as standard.
- All pendants are supplied complete with fitting this includes bulb holder, ceiling rose and 1m/39" of high quality black fabric flex (shade only option is available).
- Dimensions include any shades supplied complete with fitting.
- Code explanation to go here about the Holder code option

Please note: all our products are hand finished to ensure an authentic vintage look and therefore the may vary slightly from those shown in the images.

# Brooklyn

These ceiling fittings are completely pre-wired and only require a small amount of assembly after connecting to the mains wiring:

- Once the pendant holder is installed, unscrew the black ring.

- Hold the shade in place.

- Once in place, begin to screw the black ring.

- Once secure, it will hold the shade to the holder, your Brooklyn Pendant is now installed.

Bulb Holder 22 **Cordset Holder** 23 Chain Holder 24 Dome 25 Cone 30 Flat 32 Umbrella 34 Step 35 Giant Step 37 Giant Hat 38 **Giant Bell** 39 Giant Bowl 40 **Rusty & Wire Cages** 41



# **Brooklyn Cord Set ES E27 Bulb Holder**

Product Code: BR-CS

H: 113 cm x W: 12 cm x D: 12 cm



We meet all UK and EU lighting and safety regulations.

Our products are hand finished to ensure an authentic vintage look and therefore the may vary slightly from those shown in the images.

Bulb required: Standard screw (E27) fitting, max 40W.

Weight: 0.5 kg

Finishes: Brass, Pewter, Copper.

Ready to be installed, installation required.

Wall mount screws not included.

Flex: 1m Black Round Fabric Flex.

Ceiling rose: Pewter.

Bulb Holder Diameter: 6 cm / 2.5" Bulb Holder Height: 11 cm / 4.3" Ceiling Rose height: 12 cm / 4.9"

This luminaire is compatible with bulbs of the energy classes :

Full Drop: 113 cm / 44.5"

# **Brooklyn Chain Cord Set ES E27 Bulb Holder**

Product Code: BR-CS-CN

H: 115 cm x W: 12 cm x D: 12 cm





#### SPECIFICATIONS

#### INFORMATION

#### DIMENSIONS

We meet all UK and EU lighting and safety regulations.

Our products are hand finished to ensure an authentic vintage look and therefore the may vary slightly from those shown in the images.

**Bulb required:** Standard screw (E27) fitting, max 40W.

Weight: 0.5 kg

Finishes: Pewter, Light Pewter.

Ready to be installed, installation required.

Wall mount screws not included.

Flex: 1m Black Round Plastic Flex and 1m Chain.

Ceiling rose: Pewter, Light Pewter.

Bulb Holder Diameter: 9 cm / 3.5"
Bulb Holder Height: 10 cm / 3.9"
Ceiling Rose Diameter: 12 cm / 4.7"
Ceiling Rose Height: 2.5 cm / 1"
Full Drop: 115 cm / 45.3"

## **Brooklyn Dome Pendant - 8 Inch**



SPECIFICATIONS	INFORMATION	DIMENSIONS
We meet all UK and EU lighting and safety regulations.		Shade Diameter: 20 cm / 8"
		— Shade Height: 10 cm / 4"
Our products are hand finished to ensure an authentic vintage look and therefore the may		— Holder Diameter: 6 cm / 2.5"
vary slightly from those shown in the images.	Wall mount screws not included.	
Bulb required: Standard screw (E27) fitting,	Holders available: Brass, Pewter, Copper.	– Holder Height: 11 cm / 4.3"
max 40W.		<ul> <li>Ceiling Rose Diameter: 12 cm / 4.9"</li> </ul>
Shade weight: 0.4 kg   Holder weight: 0.5 kg	Flex: 1m Black Round Fabric Flex.	<ul> <li>Ceiling Rose Height: 2 cm / 0.8"</li> </ul>
······································	Ceiling rose: Pewter.	



### **Brooklyn Dome Pendant - 17 Inch**



#### SPECIFICATIONS

#### INFORMATION

#### DIMENSIONS

We meet all UK and EU lighting and safety regulations.

Our products are hand finished to ensure an authentic vintage look and therefore the may vary slightly from those shown in the images.

**Bulb required:** Standard screw (E27) fitting, max 40W.

Shade weight: 1.3 kg | Holder weight: 0.5 kg

Maximum weight: 1.8 kg

Finishes: Brass, Pewter, Copper & Pewter, Brass & Pewter.

Ready to be installed, installation required.

Wall mount screws not included.

Holders available: Brass, Pewter, Copper, Pewter Chain Holder.

Flex: 1m Black Round Fabric Flex.

Ceiling Rose: Pewter.

- Shade Height (no holder): 24.5 cm / 9.6"
- Holder Diameter: 6 cm / 2.5"

Holder Height: 11 cm / 4.3"

Shade Diameter: 44 cm / 17.3"

- Ceiling Rose Diameter: 12 cm / 4.9"
- Ceiling Rose Height: 2 cm / 0.8"



## **Brooklyn Dome Pendant - 24 Inch**





Shade weight: 0.35 kg | Holder weight: 0.5 kg

Maximum weight: 0.85 kg

- 30

Ceiling rose: Pewter.

Ceiling Rose Height: 2 cm / 0.8"

## **Brooklyn Cone Pendant - 12 Inch**



Bulb required: Standard screw (E27) fitting, max 40W.

Shade weight: 0.85 kg | Holder weight: 0.5 kg

Maximum weight: 1.35 kg

**Holders available**: Brass, Pewter, Pewter Chain Holder.

Flex: 1m Black Round Fabric Flex.

Chain flex: 1m Black Round plastic and 1m Chain.

#### Ceiling rose: Pewter.

- Holder Height: 11 cm / 4.3"
- Ceiling Rose Diameter: 12 cm / 4.9"
- Ceiling Rose Height: 2 cm / 0.8"



Shade weight: 0.3 kg | Holder weight: 0.5 kg

Maximum weight: 0.8 kg

32

Ceiling rose: Pewter.

Ceiling Rose Height: 2 cm / 0.8"

## **Brooklyn Flat Pendant-15 Inch**





#### SPECIFICATIONS

#### INFORMATION

#### DIMENSIONS

38 cm -

We meet all UK and EU lighting and safety regulations.

Our products are hand finished to ensure an authentic vintage look and therefore the may vary slightly from those shown in the images.

**Bulb required:** Standard screw (E27) fitting, max 40W.

Shade weight: 0.9 kg | Holder weight: 0.5 kg

Maximum weight: 1.4 kg

- Finishes: Brass, Pewter, Copper.
- Ready to be installed, installation required.

Wall mount screws not included.

Holders available: Brass, Pewter, Copper and Pewter Chain Holder.

Flex: 1m Black Round Fabric Flex.

Chain flex: 1m Black Round plastic and 1m Chain.

Ceiling rose: Pewter.

- Shade Diameter: 38 cm / 15"
- Shade Height (no holder): 7 cm / 2.8"
- Holder Diameter: 6 cm / 2.5"
- Holder Height: 11 cm / 4.3"
- Ceiling Rose Diameter: 12 cm / 4.9"

Ceiling Rose Height: 2 cm / 0.8"



## **Brooklyn Step Pendant - 16 Inch**



Maximum weight: 1.7 kg

35

Ceiling rose: Pewter.



Ceiling rose: Pewter.

Cage Diameter: 42.5 cm / 16.8"

Cage Height: 7.5 cm / 3"
### **Brooklyn Giant Step Pendant - 18 Inch**



Maximum weight: 1.9 kg

#### Ceiling rose: Pewter.



Ceiling rose: Pewter.

## **Brooklyn Giant Bell Pendant - 20 Inch**



Flex: 1m Black Round Fabric Flex.

Chain flex: 1m Black Round plastic and 1m Chain.

#### Ceiling rose: Pewter.

max 40W.

Shade weight: 1.8kg

Maximum weight: 2.3 kg

Holder weight: 0.5 kg

- Ceiling Rose Diameter: 12 cm / 4.9"
- Ceiling Rose Height: 2 cm / 0.8"



## Brooklyn Cage Pendant - 6 Inch - Cone

Product Code: BR-WCP6-CN

H: 29.5 cm x W: 16 cm x D: 16 cm







SPECIFICATIONS	INFORMATION	DIMENSIONS
We meet all UK and EU lighting and	Finishes: Rusty, Pewter.	Shade Diameter: 16 cm / 6.3"
safety regulations.	Ready to be installed, installation required.	Shade Height (no holder): 20 cm / 7.8"
Our products are hand finished to ensure an authentic vintage look and therefore the may vary slightly from those shown in the images. Bulb required: Standard screw (E27) fitting, max 40W.	Wall mount screws not included.	Holder Diameter: 6 cm / 2.5"
	Holders available: Brass, Pewter, Copper.	Holder Height: 11 cm / 4.3"
	Flex: 1m Black Round Fabric Flex.	Ceiling rose Diameter: 12 cm / 4.9"
Shade weight: 0.24 kg   Holder weight: 0.5 kg	Ceiling rose: Pewter.	Ceiling rose Height: 2 cm / 0.8"

41



## Brooklyn Cage Pendant - 8 Inch - Rose



#### SPECIFICATIONS

#### INFORMATION

#### DIMENSIONS

We meet all UK and EU lighting and safety regulations.

Our products are hand finished to ensure an authentic vintage look and therefore the may vary slightly from those shown in the images.

**Bulb required:** Standard screw (E27) fitting, max 40W.

Shade weight: 0.17 kg | Holder weight: 0.5 kg

Maximum weight: 0.67 kg

Finishes: Rusty, Pewter.

Ready to be installed, installation required.

Wall mount screws not included.

Holders available: Brass, Pewter, Copper.

Flex: 1m Black Round Fabric Flex.

Ceiling rose: Pewter.

- Shade Height (no holder): 20 cm / 7.8"
- Holder Diameter: 6 cm / 2.5"

Shade Diameter: 24 cm / 9.5"

- Holder Height: 11 cm / 4.3"
- Ceiling Rose Diameter: 12 cm / 4.9"
- Ceiling Rose Height: 2 cm / 0.8"

# Brooklyn

These ceiling fittings are completely pre-wired and only require a small amount of assembly after connecting to the mains wiring:

- Once the pendant/ wall holder is installed, unscrew the three small screws on the holder.

- Install the bulb.

- Hold the cage shade in place onto the holder and begin to re-screw the three small screws.

- Once secure it will hold the shade to the holder, your Orlando Balloon Cage is now installed.

## Balloon 46



max 40W.

Shade weight: 0.25 kg | Holder weight: 0.5 kg

#### Maximum weight: 0.75 kg

46

Ceiling rose: Pewter.

Ceiling Rose Height: 2 cm / 0.8"



# Brooklyn

These ceiling fittings are completely pre-wired and only require a small amount of assembly after connecting to the mains wiring:

### Caution - Fragile item, extra care needed when installing.

- Once the holder is installed, unscrew the screws from the holder.

- Hold the glass shade into place.

- Once in place begin to screw the screws back into the holder just enough to hold the shade, taking extra care not to screw too tightly into the glass.

- Once secure, it will hold the shade to the holder, your Brooklyn Glass Pendant is now installed.

## Glass Funnel – 7 Inch 50 Glass Dome – 8 Inch 51



products are hand finished to ensure an nentic vintage look and therefore the may slightly from those shown in the images.

b required: Standard screw (E27) fitting, (40W.

de weight: 0.6 kg Holder weight: 0.5 kg

cimum weight: 1.1 kg

Ready to be installed, installation required.

Wall mount screws not included.

Holders available: Brass, Pewter, Copper.

Flex: 1m Black Round Fabric Flex.

#### Ceiling rose: Pewter.

Shade Diameter: 18 cm / 7"	
Shade Height (no holder): 13 cm / 5.3"	
Holder Diameter: 6 cm / 2.5″	
Holder Height: 11 cm / 4.3"	
Ceiling Rose Diameter: 12 cm / 4.9"	
Ceiling Rose Height: 2 cm / 0.8"	

50

## **Brooklyn Glass Dome Pendant - 8 Inch**







SPECIFICATIONS	INFORMATION	DIMENSIONS
meet all UK and EU lighting and ety regulations.	Finishes: Glass.	Shade Diameter: 20 cm / 8"
	Ready to be installed, installation required.	Shade Height (no holder): 9 cm / 3.5'
r products are hand finished to ensure an hentic vintage look and therefore the may	Wall mount screws not included.	Holder Diameter: 6 cm / 2.5″
y slightly from those shown in the images. <b>Ib required:</b> Standard screw (E27) fitting, x 40W.	Holders available: Brass, Pewter, Copper.	Holder Height: 11 cm / 4.3"
	Flex: 1m Black Round Fabric Flex.	Ceiling Rose Diameter: 12 cm / 4.9"
ade weight: 0.8 kg   Holder weight: 0.58 kg	Ceiling rose: Pewter.	Ceiling Rose Height: 2 cm / 0.8"

# Brooklyn

These ceiling fittings are completely pre-wired and only require a small amount of assembly after connecting to the mains wiring:

### Caution - Fragile item, extra care needed when installing.

- Once the holder is installed, unscrew the screws from the holder. - Hold the glass shade into place.

- Once in place begin to screw the screws back into the holder just enough to hold the shade, taking extra care not to screw too tightly into the glass.

- Once secure, it will hold the shade to the holder, your Brooklyn Glass Pendant is now installed.

## Glass Cone – 7 Inch 54 Glass Dome – 12 Inch 55



Shade weight: 0.8 kg | Holder weight: 0.58 kg

Maximum weight: 1.38 kg

54

Ceiling rose: Pewter.

## **Brooklyn Glass Dome Pendant - 12 Inch**



This luminaire is. compatible with bulbs of the energy classes ;



INFORMATION	DIMENSIONS
Finishes: Glass.	Shade Diameter: 30 cm / 11.7"
Ready to be installed, installation required.	Shade Height (no holder): 15 cm / 5.9"
Wall mount screws not included.	Holder Diameter: 7 cm / 2.9"
Holders available: Brass, Pewter, Copper.	Holder Height: 10 cm / 4.1"
Flex: 1m Black Round Fabric Flex.	Ceiling Rose Diameter: 12 cm / 4.9"
Ceiling rose: Pewter.	Ceiling Rose Height: 2 cm / 0.8"
	Finishes: Glass.   Ready to be installed, installation required.   Wall mount screws not included.   Holders available: Brass, Pewter, Copper.   Flex: 1m Black Round Fabric Flex.

# Brooklyn

These ceiling fittings are completely pre-wired and only require a small amount of assembly after connecting to the mains wiring:

- Clearly mark out the location of each arm of the pendant.

- Attach a ribbed anchor (not provided) to each hook on the pendant light.

- Once attached, hammer these hooks and anchors into the desired location, taking extra care not to use too much force. - Once secure, install the bulbs. Your 5 Wire Pendant is now installed.

- **Please Note:** Take extra care when installing on plasterboard, the thickness of the plasterboard and weight of the products being installed need to be considered. You will need to use a support backing/wooden support frame behind the plasterboard. We always advise consulting a qualified electrician/contractor when installing our fittings.

## 5 Wire 58 5 Wire – Inc Shades 59

## **Brooklyn 5 Wire Pendant** Product Code: BR-5WP This luminaire is compatible with bulbs of the energy classes : 874/2012 INDUSTVILLE 6 cm

#### SPECIFICATIONS

We meet all UK and EU lighting and safety regulations.

Our products are hand finished to ensure an authentic vintage look and therefore the may vary slightly from those shown in the images.

**Bulb required:** Standard screw (E27) fitting, max 40W.

Weight: 2.5 kg

#### Finishes: Brass, Pewter, Copper.

Ready to be installed, installation required.

INFORMATION

Wall mount screws not included.

Holders available: Brass, Pewter, Copper.

Ceiling rose: Pewter.

Holder Diameter: 6 cm / 2.5″	
Holder Height: 11 cm / 4.3"	
Ceiling Rose Diameter: 12 cm / 4.9″	

DIMENSIONS

Ceiling Rose Height: 2 cm / 0.8"

## **Brooklyn 5 Wire Pendant - Including Shades**

Product Code: BR-5WP-MSO



We meet all UK and EU lighting and safety regulations.

Our products are hand finished to ensure an authentic vintage look and therefore the may vary slightly from those shown in the images.

**Bulb required:** Standard screw (E27) fitting, max 40W.

Weight: 4 kg

Finishes: Brass, Pewter, Copper.

Ready to be installed, installation required.

Wall mount screws not included.

Holders available: Brass, Pewter, Copper

Ceiling rose: Pewter.

Holder Diameter: 6 cm / 2.4" Holder Height: 11 cm / 4.3" Ceiling Rose Diameter: 20.5 cm / 8.1" Ceiling Rose Height: 2 cm / 0.8"

## Brooklyn Outdoor & Bathroom

These ceiling fittings are completely pre-wired and only require a small amount of assembly after connecting to the mains wiring:

Once the pendant holder is installed, unscrew the black ring.

- Hold the shade in place onto the holder.

- After holding the shade in its place, place the threaded metal ring beneath the shade (if you don't want to have a shade, simply screw the threaded metal ring directly on the holder). - Once in place, begin to screw the black ring.

- Once secure, it will hold the shade and the threaded metal ring to the holder.

- Once in place, install the bulb.

- After installing the bulb, screw in the glass cover.

- Ensure the rubber seal is intact and firmly attached to the glass.

- Once secure, your Brooklyn Outdoor Pendant is now installed. Cordset - Tube 62 Cordset - Globe 63 Tube Glass 64 Globe Glass 65 Dome 66 Step 70 Giant Step 71 Giant Hat 72 Giant Bell 73

## Brooklyn Outdoor & Bathroom Cord Set ES E27 Bulb Holder - Tube Glass

Product Code: BR-IP65-CS

H: 115.5 cm x W: 13.5 cm x D: 13.5 cm



#### SPECIFICATIONS

INFORMATION

#### DIMENSIONS

We meet all UK and EU lighting and safety regulations.

Our products are hand finished to ensure an authentic vintage look and therefore the may vary slightly from those shown in the images.

**Bulb required:** Standard screw (E27) fitting, max 40W.

Weight: 0.8 kg

Finishes: Brass, Pewter, Copper.

Ready to be installed, installation required.

Wall mount screws not included.

**IP rating:** IP65 with Tube glass.

Bulb Holder Diameter: 6 cm / 2.5"
Bulb Holder Height: 12.5 cm / 4.3″
Ceiling Rose Diameter: 13.5 cm / 5.3"
Ceiling Rose Height: 3 cm / 1.2″
Full Drop: 115.5 cm / 45.5"

## Brooklyn Outdoor & Bathroom Cord Set ES E27 Bulb Holder - Globe Glass

Product Code: BR-IP65-CS

H: 115.5 cm x W: 15 cm x D: 15 cm



63

## Brooklyn Outdoor & Bathroom Pendant - Tube Glass



#### SPECIFICATIONS

INFORMATION

#### DIMENSIONS

We meet all UK and EU lighting and safety regulations.

Our products are hand finished to ensure an authentic vintage look and therefore the may vary slightly from those shown in the images.

**Bulb required:** Standard screw (E27) fitting, max 40W.

Weight: 1.04 kg

#### Finishes: Brass, Pewter, Copper.

Ready to be installed, installation required.

Wall mount screws not included.

**IP rating:** IP65 with Tube glass.

Bulb Holder Diameter: 6 cm / 2.5″
Bulb Holder Height: 12.5 cm / 4.3″
Ceiling Rose Diameter: 13.5 cm / 5.3″
Ceiling Rose Height: 3 cm / 1.2″
Full Drop: 130 cm / 51"

## Brooklyn Outdoor & Bathroom Pendant -Globe Glass

Product Code: BR-IP65-P-GLG

H: 130 cm x W: 15 cm x D: 15 cm



Weight: 1.04 kg

## **Brooklyn Outdoor & Bathroom Dome Pendant - 8 Inch - Tube Glass**



safety regulations.

Our products are hand finished to ensure an authentic vintage look and therefore the may vary slightly from those shown in the images.

Bulb required: Standard screw (E27) fitting, max 40W.

Shade weight: 0.4 kg Holder weight: 0.8 kg

Maximum weight: 1.2 kg

Pewter & Brass.

Ready to be installed, installation required.

Wall mount screws not included

Holders available: Brass, Pewter, Copper.

Flex: 1m Black Round Plastic Flex.

Ceiling rose: Pewter.

IP rating: IP65 with Tube glass.

Shade Height: 10 cm / 4" Holder Diameter: 6 cm / 2.5" Holder Height: 12.5 cm / 4.3" Ceiling Rose Diameter: 13.5 cm / 5.3" Ceiling Rose Height: 3 cm / 1.2"

## Brooklyn Outdoor & Bathroom Dome Pendant - 13 Inch

Product Code: BR-IP65-DP13





This luminaire is compatible with bulbs

#### **SPECIFICATIONS**

#### INFORMATION

#### DIMENSIONS

We meet all UK and EU lighting and safety regulations.

Our products are hand finished to ensure an authentic vintage look and therefore the may vary slightly from those shown in the images.

**Bulb required:** Standard screw (E27) fitting, max 40W.

Shade weight: 1.1 kg | Holder weight: 0.8 kg

#### Maximum weight: 1.9kg

Finishes: Brass, Copper, Copper & Pewter, Brass & Pewter.

Ready to be installed, installation required.

Wall mount screws not included.

Holders available: Brass, Pewter, Copper.

Flex: 1m Black Round Plastic Flex.

#### Ceiling Rose: Pewter.

IP rating: IP65 with glass (Tube, Globe).

- Shade Height (no holder): 21 cm / 8.3"
- Holder Diameter: 6 cm / 2.5"

Shade Diameter: 33 cm / 13"

- Holder Height: 12.5 cm / 4.3"
- Ceiling Rose Diameter: 13.5 cm / 5.3"
- Ceiling Rose Height: 3 cm / 1.2"

## Brooklyn Outdoor & Bathroom Dome Pendant - 17 Inch



H: 34 cm x W: 44 cm x D: 44 cm



#### SPECIFICATIONS

#### INFORMATION

#### DIMENSIONS

meet all UK and EU lighting and ty regulations.

products are hand finished to ensure an ientic vintage look and therefore the may slightly from those shown in the images.

**b required:** Standard screw (E27) fitting, ¢40W.

Ide weight: 1.3kg Holder weight: 0.5kg

cimum weight: 1.8 kg

### Finishes: Brass, Pewter, Copper & Pewter, Brass & Pewter.

Ready to be installed, installation required.

Wall mount screws not included.

Holders available: Brass, Pewter, Copper, Pewter Chain Holder.

Flex: 1m Black Round Fabric Flex.

Ceiling Rose: Pewter.

IP rating: IP65 with glass (Tube, Globe)

- Shade Diameter: 44 cm / 17.3" Shade Height (no holder): 24.5 cm / 9.6"
- Holder Diameter: 6 cm / 2.5"

Holder Height: 11 cm / 4.3"

Ceiling Rose Diameter: 12 cm / 4.9"

Ceiling Rose Height: 2 cm / 0.8"

## Brooklyn Outdoor & Bathroom Dome Pendant - 18 Inch

Product Code: BR-IP65-DP18



#### SPECIFICATIONS

#### INFORMATION

#### DIMENSIONS

46 cm -

We meet all UK and EU lighting and safety regulations.

Our products are hand finished to ensure an authentic vintage look and therefore the may vary slightly from those shown in the images.

**Bulb required:** Standard screw (E27) fitting, max 40W.

Shade weight: 2.1 kg | Holder weight: 0.8 kg

#### Maximum weight: 2.9 kg

Ready to be installed, installation required.

Wall mount screws not included.

Finishes: Pewter & Copper.

Holders available: Brass, Pewter, Copper.

Flex: 1m Black Round Plastic Flex.

Ceiling rose: Pewter.

IP rating: IP65 with glass (Tube, Globe).

Shade Diameter: 46 cm /18"

Shade Height (no holder): 26 cm / 10"

- Holder Diameter: 6 cm / 2.5"
- Holder Height: 12.5 cm / 4.3"
- Ceiling Rose Diameter: 13.5 cm / 5.3"
- Ceiling Rose Height: 3 cm / 1.2"

## **Brooklyn Outdoor & Bathroom** Step Pendant - 16 Inch



Bulb required: Standard screw (E27) fitting, max 40Ŵ.

Maximum weight: 2 kg

Shade weight: 1.2 kg Holder weight: 0.8 kg

Holders available: Brass, Pewter.

IP rating: IP65 with glass (Tube, Globe).

70

Ceiling Rose: Pewter.

Shade Diameter: 41 cm / 16"	
Shade Height (no holder): 13 cm / 5.1"	
Holder Diameter: 6 cm / 2.5"	
Holder Height: 12.5 cm / 4.3"	
Ceiling Rose Diameter: 13.5 cm / 5.3"	
Ceiling Rose Height: 3 cm / 1.2"	

## Brooklyn Outdoor & Bathroom Giant Step Pendant - 18 Inch

Product Code: BR-IP65-GSP18







#### SPECIFICATIONS

#### INFORMATION

#### DIMENSIONS

We meet all UK and EU lighting and safety regulations.

Our products are hand finished to ensure an authentic vintage look and therefore the may vary slightly from those shown in the images.

**Bulb required:** Standard screw (E27) fitting, max 40W.

Shade weight: 1.4 kg | Holder weight: 0.8 kg

Maximum weight: 2.2 kg

Finishes: Brass.

Ready to be installed, installation required.

Wall mount screws not included.

Holders available: Brass, Pewter.

Flex: 1m Black Round Plastic Flex.

#### Ceiling Rose: Pewter.

IP rating: IP65 with glass (Tube, Globe).

- Shade Height (no holder): 15 cm / 6" Holder Diameter: 6 cm / 2.5"
- Holder Height: 12.5 cm / 4.3"

Shade Diameter: 46 cm / 18"

- Ceiling Rose Diameter: 13.5 cm / 5.3"
- Ceiling Rose Height: 3 cm / 1.2"

## **Brooklyn Outdoor & Bathroom Giant Hat Pendant - 21 Inch**



H: 30 cm x W: 53 cm x D: 53 cm



Shade weight: 1.8 kg Holder weight: 0.8 kg

Maximum weight: 2.6 kg

Ceiling Rose: Pewter.

IP rating: IP65 with glass (Tube, Globe).

Shade Diameter: 53 cm / 21"	
Shade Height (no holder): 20 cm / 7.9"	
Holder Diameter: 6 cm / 2.5"	
Holder Height: 12.5 cm / 4.3″	
Ceiling Rose Diameter: 13.5 cm / 5.3"	
Ceiling Rose Height: 3 cm / 1.2"	
### **Brooklyn Outdoor & Bathroom Giant Bell Pendant - 20 Inch**

Product Code: BR-IP65-GBLP20



SPECIFICATIONS	INFORMATION	DIMENSIONS
We meet all UK and EU lighting and	Finishes: Brass.	Shade Diameter: 51 cm / 20"
safety regulations.	Ready to be installed, installation required.	Shade Height (no holder): 30 cm /
Our products are hand finished to ensure an authentic vintage look and therefore the may	Wall mount screws not included.	Holder Diameter: 6 cm / 2.5"
vary slightly from those shown in the images.	Holders available: Brass, Pewter.	Holder Height: 12.5 cm / 4.3"
<b>Bulb required:</b> Standard screw (E27) fitting, max 40W.	Flex: 1m Black Round Plastic Flex.	Ceiling Rose Diameter: 13.5 cm / 5
Shade weight: 1.8 kg   Holder weight: 0.8 kg	Ceiling Rose: Pewter.	Ceiling Rose Height: 3 cm / 1.2"
Maximum weight: 2.6 kg	IP rating: IP65 with glass (Tube, Globe).	_

er): 30 cm / 11.8″

: 13.5 cm / 5.3"

# Orlando

These ceiling fittings are completely pre-wired and only require a small amount of assembly after connecting to the mains wiring:

- Unscrew the nut/screw at the bottom of the cage; this will release the cage opening.

- Unscrew the two small nuts from the top of the cage opening.

- Hold the cage in place and begin to screw the black ring.

- Install the bulb through the cage opening.

- Screw back the two small nuts on top of the cage and then the nut/ screw at the bottom of the cage.

- Once secure, it will hold the Cage to the holder, your Orlando Pendant is now installed.

### Wire Cage 76 Cylinder 77



Shade weight: 0.19 kg | Holder weight: 0.3 kg

Maximum weight: 0.49 kg

### **Orlando Cylinder Pendant - 3 Inch**

Product Code: OR-CYP3

H: 32 cm x W: 8 cm x D: 8 cm







SPECIFICATIONS	INFORMATION	DIMENSIONS
We meet all UK and EU lighting and	Finishes: Brass, Pewter.	Shade Diameter: 8 cm / 3.1"
safety regulations.	Ready to be installed, installation required.	Shade Height (no holder): 26 cm / 10.4"
Our products are hand finished to ensure an authentic vintage look and therefore the may	Wall mount screws not included.	Holder Diameter: 7 cm / 2.8″
vary slightly from those shown in the images.	Holders available: Brass, Pewter.	Holder Height: 6 cm / 2.4"
<b>Bulb required:</b> Standard screw (E27) fitting, max 40W.	Flex: 1m Black Round Fabric Flex.	Ceiling Rose Diameter: 12 cm / 4.9"
Shade weight: 0.3 kg   Holder weight: 0.2 kg	Ceiling rose: Brass, Pewter.	Ceiling Rose Height: 4 cm / 1.6"

#### 77

## Handcrafted

These ceiling fittings are completely pre-wired and only require a small amount of assembly after connecting to the mains wiring:

- Once the pendant holder is installed, unscrew the black ring.

- Hold the shade in place onto the holder.

- Once in place, begin to screw the black ring.

- Once secure, it will hold the shade to the holder, your Handcrafted Pendant is now installed. Cone 80 Round 81 Drop 82



Shade weight: 1.1 kg Holder weight: 0.28 kg

Maximum weight: 1.38 kg

80

Ceiling rose: Pewter.

### Handcrafted Wire Cage Pendant - Round

Product Code: HC-WCP11-RD

H: 24 cm x W: 28 cm x D: 28 cm

24 cm

This luminaire is compatible with bulbs г of the energy classes : 874/2012 INDUSTVILLE



SPECIFICATIONS	INFORMATION	DIMENSIONS
We meet all UK and EU lighting and	Finishes: Pewter.	Shade Diameter: 28 cm / 11"
safety regulations.	Ready to be installed, installation required.	Shade Height (no holder): 24 cm / 9.3"
Our products are hand finished to ensure an authentic vintage look and therefore the may	Wall mount screws not included.	Holder Diameter: 6 cm / 2.8"
vary slightly from those shown in the images.	Holders available: Pewter.	Holder Height: 7 cm / 4.3"
<b>Bulb required:</b> Standard screw (E27) fitting, max 40W.	Flex: 1m Black Round Fabric Flex.	Ceiling Rose Diameter: 12 cm / 4.9"
Shade weight: 1.4 kg  Holder weight: 0.28 kg	Ceiling rose: Pewter.	Ceiling Rose Height: 2 cm / 0.8

#### Maximum weight: 1.68 kg

81



Maximum weight: 1.38 kg

82



## Retro

These ceiling fittings are completely pre-wired and only require a small amount of assembly after connecting to the mains wiring:

- Remove the hook from the threaded holder.

- Thread the holder through the shade.

- Re-thread the hook-on top of the shade to hold the holder in place on the shade.

- Holding the shade carefully, begin the electrical installation.

- Install the bulb, your Large Retro Pendant is now installed.

### Large Retro 86

### **Retro Large Pendant - 13 Inch**



**Bulb required:** Standard screw (E27) fitting, max 40W.

Shade weight: 0.54 kg | Holder weight: 0.6 kg

Maximum weight: 1.14 kg

86

Flex: 1m Black Round Plastic Flex and 1m Chain.

Ceiling rose: Pewter.

Ceiling Rose Diameter: 13 cm / 5.1" Ceiling Rose Height: 7 cm / 2.8"

#### **Retro Large Pendant - 17 Inch**



max 40W.

Shade weight: 1.7 kg Holder weight: 0.6 kg

Maximum weight: 2.3 kg

87

Ceiling Rose Height: 7 cm / 2.8"

Ceiling rose: Chrome, Pewter.

## Retro

These ceiling fittings are completely pre-wired and only require a small amount of assembly after connecting to the mains wiring:

- Once the pendant holder is installed, unscrew the nuts and bolts.

- Hold the shade in place onto the holder lining up the holes from the holder to the shade. - Once in place, begin to screw the nuts and bolts.

- Once secure it will hold the shade to the holder, your Retro Enamel Pendant is now installed.

- You can now install the bulb and attach the cage (optional).

### Retro Enamel 90





# Bulkhead

These ceiling fittings are completely pre-wired and only require a small amount of assembly after connecting to the mains wiring:

#### Caution - Fragile item, extra care needed when installing.

- The front guard is secured by two nuts either side of the bulkhead, unscrew these nuts in order to install the bulb. - Once installed, screw in the glass cover, taking extra care not to screw too tightly and not using too much force.

- Holding the front guard back into place, screw back the two nuts taking extra care when handling the glass.

- Once secure, your Bulkhead Pendant is now installed.



### Bulkhead Cage Pendant - 11 Inch

Product Code: BK-CGP11







#### INFORMATION DIMENSIONS **SPECIFICATIONS** We meet all UK and EU lighting and Finishes: Gunmetal. Shade Diameter: 17.5 cm / 6.9" safety regulations. Shade Height (no holder): 30 cm / 11.8" Ready to be installed, installation required. Our products are hand finished to ensure an authentic vintage look and therefore the may Wall mount screws not included. Ceiling Rose Diameter: 13 cm / 5" vary slightly from those shown in the images. Flex: 1m Black Round Plastic Flex and 1m Chain. Ceiling Rose Height: 2 cm / 0.8" Bulb required: Standard screw (E27) fitting, max 40Ŵ. Glass weight: 0.33 kg | Shade weight: 1.48 kg

94



# Bulkhead

These ceiling fittings are completely pre-wired and only require nstallation of the bulb.

#### - Ensure that the power supply has been disconnected.

- Remove the glass cover by unscrewing the two screws either sides of the fitting.

- Screw the bulb into place.
- Hold the glass cover back into place.
- Once in place, begin to screw back the two side screws.
- Once secure your Motorcycle Pendant is now installed.

### Motorcycle 98



Maximum weight: 1.72 kg



# **Old Factory**

These ceiling fittings are completely pre-wired and only require a small amount of assembly after connecting to the mains wiring:

- Once the pendant holder is installed, unscrew the metal silver ring.

- Hold the shade in place onto the holder.

- Once in place, begin to screw the silver ring.

- Once secure, it will hold the shade to the holder, your Old Factory Pendant is now installed. Heat Cord Set 102 Pendant – 12 Inch 103 Slotted – 15 Inch 104

### **Old Factory Cord Set ES E27 Bulb Holder**

Product Code: OF-CS

H: 109.5 cm x W: 12 cm x D: 12 cm





#### DIMENSIONS

We meet all UK and EU lighting and safety regulations.

Our products are hand finished to ensure an authentic vintage look and therefore the may vary slightly from those shown in the images.

**Bulb required:** Standard screw (E27) fitting, max 40W.

Weight: 0.5 kg

Finishes: Aluminium.

Ready to be installed, installation required.

Wall mount screws not included.

Ceiling rose: Aluminium.

**Flex**: 1m Brown, Grey or Black Round Fabric Flex.

Bulb Holder Diameter: 7 cm / 2.7"
Bulb Holder Height: 7.5 cm / 2.9"
Ceiling Rose Diameter: 12 cm / 4.7"
Ceiling Rose Height: 2 cm / 0.8"
Full Drop: 109.5 cm / 43.1″

### **Old Factory Pendant - 12 Inch**



SPECIFICATIONS	INFORMATION	DIMENSIONS
We meet all UK and EU lighting and safety regulations.	<b>Finishes:</b> Brass, Pewter, Light Pewter, Copper, Copper & Pewter, Brass & Pewter.	Shade Diameter: 30.4 cm / 12"
, .		Shade Height (no holder): 15.5 cm / 6
Our products are hand finished to ensure an authentic vintage look and therefore the may vary slightly from those shown in the images.	Ready to be installed, installation required.	Holder Diameter: 8 cm / 3.1"
	Wall mount screws not included.	
Bulb required: Standard screw (E27) fitting, max 40W.	Holders available: Aluminium.	Holder Height: 8 cm / 3.1"
		Ceiling Rose Diameter: 12 cm / 4.7"
Shade weight: 0.9 kg   Holder weight: 0.5 kg	Flex: 1m Brown, Grey or Black Round Fabric Flex.	Ceiling Rose Height: 7 cm / 2.8"
	Ceiling rose: Aluminium.	

30.4 cm –



- 104



## Old Factory Heat

These ceiling fittings are completely pre-wired and only require a small amount of assembly after connecting to the mains wiring:

Caution - VERY HOT. Fitting should ALWAYS be away from arms length.

- Once the pendant holder is installed, unscrew the black ring.

- Hold the shade in place.

- Once in place, begin to screw the black ring.

Heat Cord Set 108 Pendant – 12 Inch 109 Slotted – 15 Inch 110

### **Old Factory Heat Cord Set ES E27 Bulb Holder**

Product Code: OF-HCS-BK-LP

H: 114 cm x W: 12 cm x D: 12 cm



Our products are hand finished to ensure an authentic vintage look and therefore the may vary slightly from those shown in the images.

Bulb required: Standard screw (E27) fitting, max 250W.

Weight: 0.5 kg

Ready to be installed, installation required.

Wall mount screws not included.

Ceiling rose: Aluminium.

Flex: 1m Black Round Plastic Flex.

Bulb Holder Diameter: 8 cm / 3.1"	
Bulb Holder Height: 12 cm / 4.7"	
Ceiling Rose Diameter: 12 cm / 4.7"	
Ceiling Rose Height: 2 cm / 0.8"	

This luminaire is compatible with bulbs of the energy classes :

Full Drop: 114 cm / 44.8"
#### **Old Factory Heat Pendant - 12 Inch**



SPECIFICATIONS	INFORMATION	DIMENSIONS
We meet all UK and EU lighting and safety regulations.	<b>Finishes:</b> Brass, Pewter, Light Pewter, Copper, Copper & Pewter, Brass & Pewter.	Shade Diameter: 30.4 cm / 12"
		Shade Height (no holder): 15.5 cm / 6′
Our products are hand finished to ensure an authentic vintage look and therefore the may vary slightly from those shown in the images.	Ready to be installed, installation required.	Holder Diameter: 8 cm / 3.1"
	Wall mount screws not included.	Holder Height: 8 cm / 3.1"
<b>Bulb required:</b> Standard screw (E27) fitting, max 250W.	Holders available: Aluminium.	
		Ceiling Rose Diameter: 12 cm / 4.7"
Shade weight: 0.9 kg   Holder weight: 0.5 kg   Holder weight: 0.5 kg	Flex: 1m Black Round Plastic Flex.	Ceiling Rose Height: 7 cm / 2.8"
Heat Bulb: 0.5 kg	Ceiling rose: Aluminium.	

30.4 cm –

#### Old Factory Slotted Heat Lamp Pendant - 15 Inch









	,
Finishes: Pewter, Copper, Copper & Pewter.	Shade Diameter: 38 cm / 15"
Ready to be installed, installation required.	Shade Height (no holder): 18.5 cm / 7.3"
Wall mount screws not included.	Holder Diameter: 8 cm / 3.2"
Holders available: Aluminium.	Holder Height: 8 cm / 3.2"
Flex: 1m Black Round Plastic Flex.	Ceiling Rose Diameter: 12 cm / 4."
Ceiling rose: Aluminium.	Ceiling Rose Height: 2 cm / 0.8"
	Ready to be installed, installation required. Wall mount screws not included. Holders available: Aluminium. Flex: 1m Black Round Plastic Flex.



## Sleek

These ceiling fittings are completely pre-wired and only require a small amount of assembly after connecting to the mains wiring:

- Remove the threaded chord grip from on top of the shade.

- Thread the holder through the globe.

- Re-thread the chord grip on top of the globe to hold the holder in place on the globe.

- Holding the globe carefully, begin the electrical installation.

- Install the bulb, your Globe Pendant is now installed.

### Globe 114



- 114 -



## Sleek

These fittings are completely prewired and only require installation of the bulb after connection to the mains wiring.

Caution - Always disconnect the power supply when changing the bulb.

- Ensure that the power supply has been disconnected.

- Insert an E27 bulb lightly, but firmly into the socket, turn it clockwise until it locks into place or keeps gently twisting clockwise until it won't go any further.

- Once the bulb is in, turn the power back on again and switch on the light, your Sleek Pendant is now installed.

Bulb Holder 118 Large Bulb Holder 119 **Cordset Bulb Holder** 120 Large Cordset Bulb Holder 121 **Cordset Holder - Shades** 122 Dome 123 Cone 126 Flat 128 Umbrella 130 Step 132 Giant Step 134 Giant Hat 135 Giant Bell 136

### **Sleek Edision ES E27 Bulb Holder**



#### Sleek Edison ES E27 Large Bulb Holder

Product Code: SL-LBH

H: 10.5 cm x W: 6.5 cm x D: 6.5 cm



119





H: 7.1 cm x W: 4.5 cm x D: 4.5 cm







SPECIFICATIONS	INFORMATION	DIMENSIONS
We meet all UK and EU lighting and safety regulations.	Finishes: Brass, Pewter, Copper.	Holder Diameter: 4 cm / 1.6"
	- Ready to be installed, installation required.	Holder Height: 10 cm / 3.9″
Our products are hand finished to ensure an authentic vintage look and therefore the may	Wall mount screws not included.	Ceiling Rose Diameter: 8 cm / 3.2"
vary slightly from those shown in the images.	- Flex: 1m Black Twisted Fabric Flex.	Ceiling Rose Height: 2 cm / 0.8"
<b>Bulb required:</b> Standard screw (E27) fitting, max 25W.	Ceiling rose: Brass, Pewter, Copper.	
Weight: 0.1 kg	_	_

#### **Sleek Large Edison Pendant - 1 Wire**



### **Sleek Edision Cord Set ES E27 Bulb Holder**



r products are hand finished to ensure an hentic vintage look and therefore the may y slightly from those shown in the images.

**Ib required:** Standard screw (E27) fitting, x 25W.

:ight: 0.1 kg

Wall mount screws not included.

#### **Sleek Dome Pendant - 8 Inch**





Maximum weight: 1.3 kg

- 124 -

#### Sleek Dome Pendant - 17 Inch



Maximum weight: 2.3 kg









SPECIFICATIONS	INFORMATION	DIMENSIONS
We meet all UK and EU lighting and	Finishes: Brass, Pewter, Copper.	Shade Diameter: 18 cm / 7"
safety regulations.	Ready to be installed, installation required.	Shade Height (no holder): 15 cm / 6.1"
Our products are hand finished to ensure an authentic vintage look and therefore the may	Wall mount screws not included.	Holder Diameter: 4 cm / 1.6"
vary slightly from those shown in the images.	Holders available: Brass, Pewter, Copper.	Holder Height: 10 cm / 4.1"
<b>Bulb required:</b> Standard screw (E27) fitting, max 25W.	Flex: 1m Black Twisted Fabric Flex.	Ceiling Rose Diameter: 8 cm / 3"
Shade weight: 0.35 kg   Holder weight: 0.2 kg	Ceiling rose: Brass, Pewter, Copper.	Ceiling Rose Height: 2 cm / 0.8"
Maximum weight: 0.55 kg		-

#### **Sleek Cone Pendant - 12 Inch**



Maximum weight: 1.05 kg



#### **Sleek Flat Pendant - 15 Inch**





**Bulb required:** Standard screw (E27) fitting, max 25W.

Shade weight: 0.2 kg | Holder weight: 0.2 kg

Maximum weight: 0.4 kg

- 130 -

Ceiling Rose Diameter: 8 cm / 3"

Ceiling Rose Height: 2 cm / 0.8"

Flex: 1m Black Twisted Fabric Flex.

Ceiling rose: Brass, Pewter, Copper.





Maximum weight: 1.4 kg

#### Sleek Step Pendant - 16 Inch - With Cage





#### **Sleek Giant Hat Pendant - 21 Inch**



Flex: 1m Black Twisted Fabric Flex.

Shade weight: 1.8 kg Holder weight: 0.2 kg

Maximum weight: 2 kg

Ceiling rose: Brass, Pewter, Copper.

Ceiling Rose Height: 2 cm / 0.8"



- 136



## Flush Mounts

Our range of pendant light fittings have been designed to emphasis the sharp lines, exposed hardware and raw sophistication indicative of the industrial style. Nevertheless, Industville endeavour to offer a variety of options to ensure the flexibility of the look to its clients own individual projects. This can be utilised through our bespoke painting service alongside a variety of different finishes, holders, high quality fabric flex and light-bulbs to enable our customers to create a unique and personal light fitting to suit any space. Brooklyn 140 Brooklyn Outdoor & Bathroom 160 Barn 174 Swivel 186 Harbour 190 Harbour Outdoor & Bathroom 194 Bulkhead 198

#### Specifications

- We meet all UK and EU lighting and safety regulations.
- Edison screw E27 lamp-holders are fitted as standard.
- All pendants are supplied complete with fitting this includes bulb holder, ceiling rose and 1m/39" of high quality black fabric flex (shade only option is available).
- Dimensions include any shades supplied complete with fitting.
- Code explanation to go here about the Holder code option

Please note: all our products are hand finished to ensure an authentic vintage look and therefore the may vary slightly from those shown in the images.

# Brooklyn

These ceiling fittings are completely pre-wired and only require a small amount of assembly after connecting to the mains wiring:

- Once the wall holder is installed, unscrew the black ring.

- Hold the shade in place onto the

#### holder.

- Once in place, begin to screw the black ring.

- Once secure, it will hold the shade to the holder, your Flush Mount is now installed. Flush Mount Holder 142 Dome 143 Cone 146 Flat 148 Umbrella 150 Step 151 Giant Step 153 Giant Hat 154 Giant Bell 155 **Glass Funnel** 156 Glass Dome 157 Balloon 158

### **Brooklyn Flush Mount Holder**

Product Code: BR-FM

H: 17.5 cm x W: 12 cm x D: 12 cm







#### SPECIFICATIONS

We meet all UK and EU lighting and safety regulations.

Our products are hand finished to ensure an authentic vintage look and therefore the may vary slightly from those shown in the images.

**Bulb required:** Standard screw (E27) fitting, max 40W.

Weight: 0.5 kg

#### Finishes: Brass, Pewter, Copper.

Ready to be installed, installation required.

INFORMATION

Wall mount screws not included.

Ceiling rose: Pewter.

Holder Diameter: 12 cm / 4.7″
Holder Height: 17.5 cm / 6.9″
Ceiling Rose Diameter: 12 cm / 4.7"
Ceiling Rose Depth: 2 cm / 0.8"

DIMENSIONS

#### **Brooklyn Dome Flush Mount - 8 Inch**

Product Code: BR-DFM8

H: 26.5 cm x W: 20 cm x D: 20 cm





SPECIFICATIONS	INFORMATION	DIMENSIONS
We meet all UK and EU lighting and	<b>Finishes:</b> Brass, Pewter, Copper, Copper & Pewter, Brass & Pewter.	Shade Diameter: 20 cm / 8"
safety regulations.		— Shade Height (no holder): 10 cm / 4
Our products are hand finished to ensure an authentic vintage look and therefore the may vary slightly from those shown in the images.	Ready to be installed, installation required.	
	Wall mount screws not included.	Holder Diameter: 6 cm / 2.5"
Bulb required: Standard screw (E27) fitting, max 40W.	- Holders available: Brass, Pewter, Copper.	— Holder Height: 18 cm / 7.1"
		— Ceiling Rose Diameter: 12 cm / 4.9"
Shade weight: 0.4 kg   Holder weight: 0.5 kg	-	Ceiling Rose Height: 2 cm / 0.8"

#### **Brooklyn Dome Flush Mount - 13 Inch**

Product Code: BR-DFM13

H: 37 cm x W: 33 cm x D: 33 cm





Wall mount screws not included.

Holders available: Brass, Pewter, Copper.

Shade Diameter: 33 cm / 13" Shade Height (no holder): 21 cm / 8.3" Holder Diameter: 6 cm / 2.5" Holder Height: 18 cm / 7.1" Ceiling Rose Diameter: 12 cm / 4.9" Ceiling Rose Height: 2 cm / 0.8"

DIMENSIONS

33 cm -

This luminaire is compatible with bulbs

of the energy classes :

т

874/2012

INDUSTVILLE

Maximum weight: 1.6kg

Shade weight: 1.1kg

max 40Ŵ.

Our products are hand finished to ensure an

authentic vintage look and therefore the may

vary slightly from those shown in the images.

Bulb required: Standard screw (E27) fitting,

Holder weight: 0.5 kg
### **Brooklyn Dome Flush Mount - 17 Inch**

#### Product Code: BR-DFM17

H: 40.5 cm x W: 44 cm x D: 44 cm



### **Brooklyn Cone Flush Mount - 7 Inch**

Product Code: BR-CFM7

H: 31 cm x W: 18 cm x D: 18 cm







#### SPECIFICATIONS

INFORMATION

Ready to be installed, installation required.

Holders available: Brass, Pewter, Copper.

Finishes: Brass, Pewter, Copper.

Wall mount screws not included.

#### DIMENSIONS

We meet all UK and EU lighting and safety regulations.

Our products are hand finished to ensure an authentic vintage look and therefore the may vary slightly from those shown in the images.

**Bulb required:** Standard screw (E27) fitting, max 40W.

Shade weight: 0.35 kg | Holder weight: 0.5 kg

Maximum weight: 0.85kg

- 146

Shade Diameter: 18 cm / 7″
Shade Height (no holder): 15 cm / 6.1"
Holder Diameter: 6 cm / 2.5"
Holder Height: 18 cm / 7.1"
Ceiling Rose Diameter: 12 cm / 4.9"
Ceiling Rose Height: 2 cm / 0.8″

### **Brooklyn Cone Flush Mount - 12 Inch**

Product Code: BR-CFM12

H: 30.5 cm x W: 30 cm x D: 30 cm







SPECIFICATIONS	INFORMATION	DIMENSIONS
We meet all UK and EU lighting and	Finishes: Brass, Pewter.	Shade Diameter: 30 cm / 12"
safety regulations.	Ready to be installed, installation required.	Shade Height (no holder): 21 cm / 8.3
Our products are hand finished to ensure an authentic vintage look and therefore the may vary slightly from those shown in the images.	Wall mount screws not included.	Holder Diameter: 6 cm / 2.5"
	Holders available: Brass, Pewter.	Holder Height: 18 cm / 7.1″
<b>Bulb required:</b> Standard screw (E27) fitting, max 40W.		Ceiling Rose Diameter: 12 cm / 4.9"
Shade weight: 0.85 kg   Holder weight: 0.5 kg		Ceiling Rose Height: 2 cm / 0.8"

### **Brooklyn Flat Flush Mount - 8 Inch**

Product Code: BR-FFM8

H: 21 cm x W: 21 cm x D: 21 cm







SPECIFICATIONS	INFORMATION	DIMENSIONS
We meet all UK and EU lighting and	Finishes: Brass, Pewter, Copper.	Shade Diameter: 21 cm / 8.2"
safety regulations.	Ready to be installed, installation required.	Shade Height (no holder): 5 cm / 2"
Our products are hand finished to ensure an authentic vintage look and therefore the may	Wall mount screws not included.	Holder Diameter: 6 cm / 2.5"
vary slightly from those shown in the images.	Holders available: Brass, Pewter, Copper.	Holder Height: 18 cm / 7.1"
<b>Bulb required:</b> Standard screw (E27) fitting, max 40W.		Ceiling Rose Diameter: 12 cm / 4.9"
Shade weight: 0.3 kg   Holder weight: 0.5 kg		Ceiling Rose Height: 2 cm / 0.8"
Maximum weight: 0.8 kg	1	

### **Brooklyn Flat Flush Mount - 15 Inch**

#### Product Code: BR-FFM15

H: 23 cm x W: 38 cm x D: 38 cm





SPECIFICATIONS	INFORMATION	DIMENSIONS
We meet all UK and EU lighting and	Finishes: Brass, Pewter, Copper.	Shade Diameter: 38 cm / 15"
safety regulations.	Ready to be installed, installation required.	Shade Height (no holder): 7 cm / 2.8′
Our products are hand finished to ensure an authentic vintage look and therefore the may vary slightly from those shown in the images. Bulb required: Standard screw (E27) fitting, max 40W.	Wall mount screws not included.	Holder Diameter: 6 cm / 2.5"
	Holders available: Brass, Pewter, Copper.	Holder Height: 18 cm / 7.1″
		Ceiling Rose Diameter: 12 cm / 4.9"
Shade weight: 0.9 kg   Holder weight: 0.5 kg		Ceiling Rose Height: 2 cm / 0.8"

- 149 -

### **Brooklyn Umbrella Flush Mount - 8 Inch**

Product Code: BR-UFM8

H: 23 cm x W: 20 cm x D: 20 cm







SPECIFICATIONS	INFORMATION	DIMENSIONS
We meet all UK and EU lighting and	Finishes: Brass, Pewter, Copper.	Shade Diameter: 20 cm / 8"
safety regulations.	Ready to be installed, installation required.	Shade Height (no holder): 7 cm / 2.6"
Our products are hand finished to ensure an authentic vintage look and therefore the may	Wall mount screws not included.	Holder Diameter: 6 cm / 2.5″
vary slightly from those shown in the images.	Holders available: Brass, Pewter, Copper.	Holder Height: 18 cm / 7.1"
<b>Bulb required:</b> Standard screw (E27) fitting, max 40W.		Ceiling Rose Diameter: 12 cm / 4.9"
Shade weight: 0.2 kg   Holder weight: 0.5 kg	-	Ceiling Rose Height: 2 cm / 0.8"

Maximum weight: 0.7 kg

### **Brooklyn Step Flush Mount - 16 Inch**

#### Product Code: BR-SFM16

H: 29 cm x W: 41 cm x D: 41 cm

This luminaire is



Maximum weight: 1.7 kg

### Brooklyn Step Flush Mount - 16 Inch - With Cage

Product Code: BR-SFM16-CG

H: 36.5 cm x W: 41 cm x D: 41 cm



Cage weight: 0.4 kg

Max weight: 2.1 kg





	DIMENSIONS
	Shade Diameter: 41 cm / 16"
uired.	Shade Height (no holder): 13 cm / 5.1"
	Holder Diameter: 6 cm / 2.5"
pper.	Holder Height: 18 cm / 7.1"
	Ceiling Rose Diameter: 12 cm / 4.9"
	Ceiling Rose Height: 2 cm / 0.8"
	Cage Diameter: 42.5 cm / 16.8"

### **Brooklyn Giant Step Flush Mount - 18 Inch**

Product Code: BR-GSFM18

H: 31 cm x W: 46 cm x D: 46 cm



#### Maximum weight: 1.9 kg

### Brooklyn Giant Hat Flush Mount - 21 Inch

Product Code: BR-GHFM21

H: 36 cm x W: 53 cm x D: 53 cm





This luminaire is compatible with bulbs



	DIMENSIONS
	Shade Diameter: 53 cm / 21″
equired.	Shade Height (no holder): 20 cm / 7.9"
	Holder Diameter: 6 cm / 2.5″
	Holder Height: 18 cm / 7.1″
	Ceiling Rose Diameter: 12 cm / 4.9"
	Ceiling Rose Height: 2 cm / 0.8"

Maximum weight: 2.3 kg

Shade weight: 1.8 kg

Holder weight: 0.5 kg

### **Brooklyn Giant Bell Flush Mount - 20 Inch**

Product Code: BR-GBFM20

H: 39.5 cm x W: 51 cm x D: 51 cm







SPECIFICATIONS	INFORMATION	DIMENSIONS
Ve meet all UK and EU lighting and	Finishes: Brass, Pewter.	Shade Diameter: 51 cm / 20"
afety regulations.	<ul> <li>Ready to be installed, installation required.</li> </ul>	Shade Height (no holder): 30 cm / 11.8"
Our products are hand finished to ensure an authentic vintage look and therefore the may	Wall mount screws not included.	Holder Diameter: 6 cm / 2.5″
vary slightly from those shown in the images. 	- Holders available: Brass, Pewter, Pewter Chain	Holder Height: 18 cm / 7.1″
	Holder.	Ceiling Rose Diameter: 12 cm / 4.9"
Shade weight: 1.8kg Holder weight: 0.5 kg	Holder mount: Pewter.	Ceiling Rose Height: 2 cm / 0.8"

Maximum weight: 2.3 kg

### **Brooklyn Glass Funnel Flush Mount - 7 Inch**

Product Code: BR-GLFFM7

H: 29.5 cm x W: 18 cm x D: 18 cm







#### SPECIFICATIONS

#### INFORMATION

#### DIMENSIONS

We meet all UK and EU lighting and safety regulations.

Our products are hand finished to ensure an authentic vintage look and therefore the may vary slightly from those shown in the images.

**Bulb required:** Standard screw (E27) fitting, max 40W.

Shade weight: 0.6 kg | Holder weight: 0.5 kg

Maximum weight: 1.1 kg

Finishes: Glass.

Ready to be installed, installation required.

Wall mount screws not included.

Holders available: Brass, Pewter, Copper.

Ceiling rose: Pewter.

### **Brooklyn Glass Dome Flush Mount - 8 Inch**

Product Code: BR-GLDFM8

H: 25 cm x W: 20 cm x D: 20 cm







SPECIFICATIONS	INFORMATION	DIMENSIONS
We meet all UK and EU lighting and	Finishes: Glass.	Shade Diameter: 20 cm / 8"
safety regulations.	Ready to be installed, installation required.	Shade Height (no holder): 9 cm / 3.5"
Our products are hand finished to ensure an authentic vintage look and therefore the may	Wall mount screws not included.	Holder Diameter: 6 cm / 2.5"
vary slightly from those shown in the images. Bulb required: Standard screw (E27) fitting, max 40W.	Holders available: Brass, Pewter, Copper.	Holder Height: 18 cm / 7.1"
	Holder mount: Pewter.	Ceiling Rose Diameter: 12 cm / 4.9"
Shade weight: 0.65 kg   Holder weight: 0.5 kg		Ceiling Rose Height: 2 cm / 0.8"
Maximum weight: 1.15 kg	1	

### **Brooklyn Balloon Cage Flush Mount - 6 Inch**

Product Code: BR-BCFM6

H: 38 cm x W: 14 cm x D: 14 cm







#### SPECIFICATIONS

We meet all UK and EU lighting and safety regulations.

Our products are hand finished to ensure an authentic vintage look and therefore the may vary slightly from those shown in the images.

**Bulb required:** Standard screw (E27) fitting, max 40W.

Shade weight: 0.25 kg | Holder weight: 0.5 kg

#### Maximum weight: 0.75 kg

#### INFORMATION

#### Finishes: Pewter, Copper.

Ready to be installed, installation required.

Wall mount screws not included.

Holders available: Brass, Pewter, Copper.

Ceiling rose: Pewter.

Shade Diameter: 14 cm / 5.5"
Shade Height (no holder): 22 cm / 8.6"
Holder Diameter: 6 cm / 2.5″
Holder Height: 18 cm / 7.1″
Ceiling Rose Diameter: 12 cm / 4.9"
Ceiling Rose Height: 2 cm / 0.8"

DIMENSIONS



# Brooklyn Outdoor & Bathroom

These ceiling fittings are completely pre-wired and only require a small amount of assembly after connecting to the mains wiring:

- Once the Flushmount is installed, unscrew the black ring.

- Hold the shade in place onto the holder.

- After holding the shade in its place, place the threaded metal ring beneath the shade (if you don't want to have a shade, simply screw the threaded metal ring directly on the

#### holder).

- Once in place, begin to screw the black ring.

- Once secure, it will hold the shade and the threaded metal ring to the holder.

- Once in place, install the bulb.

- After installing the bulb, screw in the glass cover.

- Once secure, your Flush Mount is now installed.

Flush Mount Holder -Tube 162 Flush Mount Holder -Globe 163 **Tube Glass** 164 **Globe Glass** 165 Dome 166 Step 169 Giant Step 170 Giant Hat 171 Giant Bell 172

### **Brooklyn Outdoor & Bathroom** Flush Mount Holder - Tube Glass

Product Code: BR-IP65-FMH

H: 17 cm x W: 13.5 cm x D: 13.5 cm



Our products are hand finished to ensure an authentic vintage look and therefore the may vary slightly from those shown in the images.

Bulb required: Standard screw (E27) fitting, max 40Ŵ.

Holder weight: 0.87 kg | Glass weight: 0.3 kg

Ready to be installed, installation required.

Wall mount screws not included.

Ceiling rose: Pewter.

IP rating: IP65 with Tube glass.

Holder Height: 17 cm / 6.6" Ceiling Rose Diameter: 13.5 cm / 5.3"

Ceiling Rose Height: 3 cm / 1.2"

### Brooklyn Outdoor & Bathroom Flush Mount Holder - Globe Glass

Product Code: BR-IP65-FMH-GLG

H: 17 cm x W: 13.5 cm x D: 13.5 cm



### **Brooklyn Outdoor & Bathroom Flush Mount**

Product Code: BR-IP65-FM

H: 34 cm x W: 13.5 cm x D: 13.5 cm







#### SPECIFICATIONS

#### INFORMATION

#### DIMENSIONS

We meet all UK and EU lighting and safety regulations.

Our products are hand finished to ensure an authentic vintage look and therefore the may vary slightly from those shown in the images.

**Bulb required:** Standard screw (E27) fitting, max 40W.

Weight: 0.9 kg

#### Finishes: Brass, Pewter, Copper.

Ready to be installed, installation required.

Wall mount screws not included.

Ceiling rose: Pewter.

IP rating: IP65 with glass.

Holder Diameter: 6 cm / 2.5″
Holder Height: 17 cm / 6.6″
Ceiling Rose Diameter: 13.5 cm / 5.3"
Ceiling Rose Height: 3 cm / 1.2"

### Brooklyn Outdoor & Bathroom Flush Mount -**Globe Glass**

Product Code: BR-IP65-FM-GLG

H: 34 cm x W: 15 cm x D: 15 cm



max 40W.

### Brooklyn Outdoor & Bathroom Dome Flush Mount - 8 Inch - Tube Glass

Product Code: BR-IP65-DFM8

H: 32 cm x W: 20 cm x D: 20 cm



vary slightly from those shown in the images.
Bulb required: Standard screw (E27) fitting,

max 40W.

Shade weight: 0.4 kg | Holder weight: 0.9 kg

Maximum weight: 1.3 kg

- 166

Holders available: Brass, Pewter, Copper.

Ceiling rose: Pewter.

IP rating: IP65 with Tube glass.

Holder Height: 17 cm / 6.6"

Ceiling Rose Diameter: 13.5 cm / 5.3"

Ceiling Rose Height: 3 cm / 1.2"

### Brooklyn Outdoor & Bathroom Dome Flush Mount - 13 Inch

Product Code: BR-IP65-DFM13

H: 37 cm x W: 33 cm x D: 33 cm







		DIMENSIONS
We meet all UK and EU lighting and safety regulations.	<b>Finishes:</b> Brass, Copper, Copper & Pewter, Brass & Pewter.	Shade Diameter: 33 cm / 13"
		<ul> <li>Shade Height (no holder): 21 cm / 8.3"</li> </ul>
Our products are hand finished to ensure an authentic vintage look and therefore the may vary slightly from those shown in the images.	Ready to be installed, installation required.	– Holder Diameter: 6 cm / 2.5"
	Wall mount screws not included.	
Bulb required: Standard screw (E27) fitting, max 40W.	Holders available: Brass, Pewter, Copper.	— Holder Height: 17 cm / 6.6"
		– Ceiling Rose Diameter: 13.5 cm / 5.3"
Shade weight: 1.1 kg   Holder weight: 0.9 kg	Ceiling rose: Pewter.	<ul> <li>Ceiling Rose Height: 3 cm / 1.2"</li> </ul>
Maximum weight: 2 kg	IP rating: IP65 with glass (Tube, Globe).	

### Brooklyn Outdoor & Bathroom Dome Flush Mount - 17 Inch

Product Code: BR-IP65-DFM17

H: 41.5 cm x W: 44 cm x D: 44 cm



We meet all UK and EU lighting and
safety regulations.

Maximum weight: 3 kg

Our products are hand finished to ensure an authentic vintage look and therefore the may vary slightly from those shown in the images.

**Bulb required:** Standard screw (E27) fitting, max 40W.

Shade weight: 2.1 kg | Holder weight: 0.9 kg

Holders available: Brass, Pewter, Copper.

Wall mount screws not included.

Finishes: Brass, Copper & Pewter, Brass &

Ready to be installed, installation required.

Ceiling rose: Pewter.

Pewter.

IP rating: IP65 with glass (Tube, Globe).

Shade Diameter: 44 cm / 17.3"
Shade Height (no holder): 24.5 cm / 9.6"
Holder Diameter: 6 cm / 2.5″
Holder Height: 17 cm / 6.6″
Ceiling Rose Diameter: 13.5 cm / 5.3"
Ceiling Rose Height: 3 cm / 1.2"

### Brooklyn Outdoor & Bathroom Step Flush Mount - 16 Inch

Product Code: BR-IP65-SFM16

H: 31 cm x W: 41 cm x D: 41 cm



Maximum weight: 2.1 kg

### Brooklyn Outdoor & Bathroom Giant Step Flush Mount - 18 Inch

Product Code: BR-IP65-GSFM18

H: 32 cm x W: 46 cm x D: 46 cm



IP rating: IP65 with glass (Tube, Globe).

DIMENSIONS		
Shade Diameter: 46 cm / 18″		
Shade Height (no holder): 15 cm / 6"		
Holder Diameter: 6 cm / 2.5″		
Holder Height: 17 cm / 6.6″		
Ceiling Rose Diameter: 13.5 cm / 5.3"		

46 cm

This luminaire is compatible with bulbs

of the energy classes :

т

874/2012

INDUSTVILLE

Ceiling Rose Height: 3 cm / 1.2"

Maximum weight: 2.3 kg

Holder weight: 0.9 kg

Shade weight: 1.4 kg

### Brooklyn Outdoor & Bathroom Giant Hat Flush Mount - 21 Inch

Product Code: BR-IP65-GHFM21

H: 37 cm x W: 53 cm x D: 53 cm





53 cm

This luminaire is compatible with bulbs

of the energy classes :

т

SPECIFICATIONS	INFORMATION	DIMENSIONS
We meet all UK and EU lighting and safety regulations. Our products are hand finished to ensure an authentic vintage look and therefore the may	Finishes: Brass.	Shade Diameter: 53 cm / 21"
	Ready to be installed, installation required.	Shade Height (no holder): 20 cm / 7.9′
	Wall mount screws not included.	Holder Diameter: 6 cm / 2.5″
vary slightly from those shown in the images. Bulb required: Standard screw (E27) fitting, max 40W.	Holders available: Brass, Pewter.	Holder Height: 17 cm / 6.6″
	Ceiling rose: Pewter.	Ceiling Rose Diameter: 13.5 cm / 5.3"
Shade weight: 1.8 kg   Holder weight: 0.9 kg	IP rating: IP65 with glass (Tube, Globe).	Ceiling Rose Height: 3 cm / 1.2"

### **Brooklyn Outdoor & Bathroom Giant Bell Flush Mount - 20 Inch**

Product Code: BR-IP65-GBLFM20

H: 47 cm x W: 51 cm x D: 51 cm



Our products are hand finished to ensure an authentic vintage look and therefore the may vary slightly from those shown in the images.

Bulb required: Standard screw (E27) fitting, max 40W.

Shade weight: 1.8 kg Holder weight: 0.9 kg

Holder Height: 17 cm / 6.6" Ceiling Rose Diameter: 13.5 cm / 5.3" IP rating: IP65 with glass (Tube, Globe). Ceiling Rose Height: 3 cm / 1.2"

Holder Diameter: 6 cm / 2.5"

Maximum weight: 2.7 kg

Wall mount screws not included.

Holders available: Brass, Pewter.

Ceiling rose: Pewter.



# Barn

These ceiling fittings are completely pre-wired and only require a small amount of assembly after connecting to the mains wiring:

- Remove side screws from the ceiling bracket using a Philips screwdriver.

- Detach the ceiling rose from the bulb holder.

- Thread the bulb holder through the shade.

- Attach the mounting bracket to the ceiling with mounting screws (not provided).

- Make the connections as per the wiring instructions.

- After tucking back, the wiring in the ceiling, Attach the ceiling canopy to the mounting bracket with the help of mounting screws (not provided).

- Install the bulb, your Farmhouse Flush Mount is now installed.

## Farmhouse 176

### **Barn Farmhouse Flush Mount - 12 Inch**

Product Code: BN-FHFM12

H: 20 cm x W: 30 cm x D: 30 cm







SPECIFICATIONS	INFORMATION	DIMENSIONS
We meet all UK and EU lighting and safety regulations. Our products are hand finished to ensure an authentic vintage look and therefore the may vary slightly from those shown in the images. Bulb required: Standard screw (E27) fitting, max 40W.	Finishes: Brass, Pewter.	Shade Diameter: 30 cm / 11.8"
	Ready to be installed, installation required.	Shade Height (no holder): 20 cm / 7.9"
	Wall mount screws not included.	Ceiling Mount Diameter: 9 cm / 3.6"
	Holders available: Brass, Pewter.	Holder Diameter: 4 cm / 1.6"
		Holder Height: 11 cm / 4.3"
Shade weight: 0.69 kg   Holder weight: 0.2 kg		

Maximum weight: 0.89 kg



# Barn

These ceiling fittings are completely pre-wired and only require a small amount of assembly after connecting to the mains wiring:

- Remove side screws from the ceiling bracket using a Philips screwdriver.

- Detach the ceiling rose from the bulb holder.

- Thread the bulb holder through the shade.

- Attach the mounting bracket to the ceiling with mounting screws (not provided).

- Make the connections as per the wiring's instructions.

- After tucking back, the wiring in the ceiling, Attach the ceiling canopy to the mounting bracket with the help of mounting screws

## Slotted 180

### Barn Slotted Flush Mount - 12 Inch

Product Code: BN-SLFM12

H: 23 cm x W: 30 cm x D: 30 cm



Shade weight: 0.63 kg Holder weight: 0.2 kg

Maximum weight: 0.83 kg





DIMENSIONS
Shade Diameter: 30 cm / 11.8"
Shade Height (no holder): 23 cm / 9"
Ceiling Mount Diameter: 9 cm / 3.5"
Holder Diameter: 4 cm / 1.6"
Holder Height: 11 cm / 4.3″
-


# Barn

These ceiling fittings are completely pre-wired and only require a small amount of assembly after connecting to the mains wiring:

- Remove side screws from the ceiling bracket using a Philips screwdriver.

- Make the connections as per the wiring's instructions.

- After tucking back, the wiring in the ceiling, attach the ceiling canopy to the

mounting bracket with the help of mounting screws (not provided).

- Once the flush mount holder is installed, unscrew the three copper screws.

- Unscrew the black ring.
- Hold the shade in place.
- Once in place, begin to screw the black ring.
- Screw back the three small screws.

- Once secure it will hold the shade to the holder, your Barn Flush Mount is now installed.

# Stem 184

## Barn Stem Flush Mount - 15 Inch

Product Code: BN-STFM15

H: 29 cm x W: 37 cm x D: 37 cm







Shade Diameter: 37 cm / 14.6"

DIMENSIONS

Ceiling Mount Diameter: 15 cm / 5.9"

Maximum weight: 1.1 kg

- 184 -



# Swivel

These fittings are completely pre-wired and only require installation of the bulb after connection to the mains wiring.

# Single 188 Double 189

# Swivel Spotlight Flush Mount/Wall Light - Single

Product Code: SW-SFM-S

H: 20 cm x W: 11 cm x D: 18 cm



### SPECIFICATIONS

INFORMATION

#### DIMENSIONS

I

We meet all UK and EU lighting and safety regulations.

Our products are hand finished to ensure an authentic vintage look and therefore the may vary slightly from those shown in the images.

**Bulb required:** Standard screw (E27) fitting, max 40W.

Maximum weight: 0.63 kg

#### Finishes: Pewter.

Ready to be installed, installation required.

Wall mount screws not included.

Wall Mount: Pewter.

Shade Diameter: 11 cm / 4.3"
Shade Height (no holder): 12 cm / 4.7"
Ceiling Rose Height: 8 cm / 3.1″
Ceiling Rose Width: 8 cm / 3.1″
Ceiling Rose Diameter: 8 cm / 3.2"

## Swivel Spotlight Flush Mount/Wall Light - Double

Product Code: SW-SFM-D

H: 20 cm x W: 28 cm x D: 11 cm



# Harbour

These ceiling fittings are completely pre-wired and only require a small amount of assembly after connecting to the mains wiring:

- Once the wall holder is installed, install the bulb.

- After installing the bulb screw in the glass cover taking extra care not

to screw too tightly and not using too much force.

- Affix the cage by twisting it on to the wall holder.

- Once secure, your Wall Light is now installed.

# Harbour 192

# Harbour Flush Mount/Wall Light - 6 Inch





# Harbour Outdoor & Bathroom

These ceiling fittings are completely pre-wired and only require a small amount of assembly after connecting to the mains wiring:

- Once the wall holder is installed, install the bulb.

- After installing the bulb screw in the glass cover taking extra care not

to screw too tightly and not using too much force.

- Affix the cage by twisting it on to the wall holder.

- Once secure, your Wall Light is now installed.

# Outdoor & Bathroom 196

## Harbour Outdoor & Bathroom Flush Mount/Wall Light - 6 Inch



H: 41 cm x W: 23 cm x D: 23 cm









#### SPECIFICATIONS

We meet all UK and EU lighting and safety regulations.

Our products are hand finished to ensure an authentic vintage look and therefore the may vary slightly from those shown in the images.

**Bulb required:** Standard screw (E27) fitting, max 40W.

Maximum weight: 1.3 kg

#### INFORMATION

### DIMENSIONS

Finishes: Pewter.

Ready to be installed, installation required.

Wall mount screws not included.

Ceiling rose: Pewter.

IP rating: IP65 with glass.

Shade Diameter: 23 cm / 9″	
Shade Height (no holder): 19 cm / 7.4"	
Ceiling Rose Diameter: 14 cm / 5.5″	
Ceiling Rose Height: 3 cm / 1.2″	
Holder Diameter: 8.5 cm / 3.3″	
Holder Height: 22 cm / 8.7″	



# Bulkhead

These ceiling fittings are completely pre-wired and only require a small amount of assembly after connecting to the mains wiring:

### Caution - Fragile item, extra care needed when installing.

- Unscrew the cage to install the bulb.

- After installing the bulb screw in the glass cover taking extra care not to screw too tightly and not using too much force.

- Screw back the cage

- Once secure, your Marine Light fitting is now installed.

# Marine 200

## Bulkhead Outdoor & Bathroom Marine Flush Mount - 4 Inch

Product Code: BK-IP65-MFM4

H: 25 cm x W: 12 cm x D: 12 cm



We meet all UK and EU lighting and safety regulations.

Our products are hand finished to ensure an authentic vintage look and therefore the may vary slightly from those shown in the images.

**Bulb required:** Standard screw (E27) fitting, max 40W.

Maximum weight: 1.2 kg

### Finishes: Gunmetal.

Ready to be installed, installation required.

Wall mount screws not included.

IP rating: IP65 with glass.

Shade Diameter: 10 cm / 4" Shade Height (no holder): 25 cm / 9.8" Ceiling Rose Diameter: 13 cm / 5"



# Wall Lights

Our range of pendant light fittings have been designed to emphasis the sharp lines, exposed hardware and raw sophistication indicative of the industrial style. Nevertheless, Industville endeavour to offer a variety of options to ensure the flexibility of the look to its clients own individual projects. This can be utilised through our bespoke painting service alongside a variety of different finishes, holders, high quality fabric flex and light-bulbs to enable our customers to create a unique and personal light fitting to suit any space.

**Brooklyn** 204 **Brooklyn Outdoor &** Bathroom 220 Orlando 228 **Bulkhead** 232 Sleek 244 Swan Neck 250 Swan Neck Outdoor & Bathroom 268 Swivel 284 Harbour 288 Harbour Outdoor & Bathroom 292 Long Arm 296

# Brooklyn

These ceiling fittings are completely pre-wired and only require a small amount of assembly after connecting to the mains wiring:

- Once the wall holder is installed, unscrew the black ring.

- Hold the shade in place onto the holder.

- Once in place, begin to screw the black ring.

- Once secure, it will hold the shade to the holder, your Brooklyn Wall Sconce is now installed. Wall Light Holder 206 Dome 207 Cone 208 Flat 209 Umbrella 210 Glass Funnel 211 Glass Dome 212 Rusty & Wire Cage 213



## Brooklyn Dome Wall Light - 8 Inch

Product Code: BR-DWL8

H: 26.5 cm x W: 20 cm x D: 28 cm



# Brooklyn Cone Wall Light - 7 Inch

Product Code: BR-CWL7

H: 31.5 cm x W: 18 cm x D: 28 cm



We meet all UK and EU lighting and safety regulations.

Our products are hand finished to ensure an authentic vintage look and therefore the may vary slightly from those shown in the images.

**Bulb required:** Standard screw (E27) fitting, max 40W.

Shade weight: 0.35 kg | Holder weight: 0.6 kg

Maximum weight: 0.95 kg

Ready to be installed, installation required.

Wall mount screws not included.

Finishes: Brass, Pewter, Copper.

The lights can be operated by both the flick switch or the main switch.

Holders available: Brass, Pewter, Copper.

	Shade Diameter: 18 cm / 7″
	Shade Height (no holder): 15 cm / 6.1"
	Holder Diameter: 6 cm / 2.5"
	Holder Height: 18 cm / 7.1″
	Wall Rose Diameter: 12 cm / 4.9"
	Wall Rose Height: 2 cm / 0.8"

## **Brooklyn Flat Wall Light - 8 Inch**

Product Code: BR-FWL8

H: 21.5 cm x W: 21 cm x D: 28.5 cm



# Brooklyn Umbrella Wall Light - 8 Inch

Product Code: BR-UWL8

H: 23.5 cm x W: 20 cm x D: 28 cm



**Bulb required:** Standard screw (E27) fitting, max 40W.

Shade weight: 0.2 kg | Holder weight: 0.6 kg

Maximum weight: 0.8 kg

Holders available: Brass, Pewter, Copper.

Wall Rose Diameter: 12 cm / 4.9"

Wall Rose Height: 2 cm / 0.8"

switch or the main switch.

## **Brooklyn Glass Funnel Wall Light - 7 Inch**

Product Code: BR-GLFWL7

H: 29.5 cm x W: 18 cm x D: 27 cm



## **Brooklyn Glass Dome Wall Light - 8 Inch**

Product Code: BR-GLDWL8

H: 25.5 cm x W: 20 cm x D: 28 cm







SPECIFICATIONS	INFORMATION	DIMENSIONS
We meet all UK and EU lighting and	Finishes: Glass.	Shade Diameter: 20 cm / 8"
safety regulations.	Ready to be installed, installation required.	Shade Height (no holder): 9 cm / 3.5″
Our products are hand finished to ensure an authentic vintage look and therefore the may	Wall mount screws not included.	Holder Diameter: 6 cm / 2.5"
vary slightly from those shown in the images. Bulb required: Standard screw (E27) fitting, max 40W.	The lights can be operated by both the flick switch or the main switch.	Holder Height: 18 cm / 7.1″
		– Wall Rose Diameter: 12 cm / 4.9"
Shade weight: 0.65 kg   Holder weight: 0.6 kg	Holders available: Brass, Pewter, Copper.	– Wall Rose Height: 2 cm / 0.8"
Maximum weight: 1.25 kg	Wall rose: Pewter.	-   Wall Rose Height: 2 cm / 0.8" -

# Brooklyn Cage Wall Light - 6 Inch - Cone

Product Code: BR-WCWL6-CN

H: 26.5 cm x W: 16 cm x D: 24 cm



Shade weight: 0.24 k | Holder weight: 0.6 kg

Maximum weight: 0.84 kg

Wall rose: Pewter.

# **Brooklyn Cage Wall Light - 5 Inch - Cylinder**

Product Code: BR-WCWL5-CY

H: 40 cm x W: 12 cm x D: 22 cm







### SPECIFICATIONS

INFORMATION

#### DIMENSIONS

We meet all UK and EU lighting and safety regulations.

Our products are hand finished to ensure an authentic vintage look and therefore the may vary slightly from those shown in the images.

**Bulb required:** Standard screw (E27) fitting, max 40W.

Shade weight: 0.28 kg | Holder weight: 0.6 kg

Maximum weight: 0.88 kg

### Finishes: Rusty, Pewter.

Ready to be installed, installation required.

Wall mount screws not included.

The lights can be operated by both the flick switch or the main switch.

Holders available: Brass, Pewter, Copper.

Wall rose: Pewter.

Shade Diameter: 12 cm / 5"
Shade Height (no holder): 23.5 cm / 9″
Holder Diameter: 6 cm / 2.5"
Holder Height: 18 cm / 7.1″
Wall Rose Diameter: 12 cm / 4.9"
Wall Rose Height: 2 cm / 0.8″

## Brooklyn Cage Wall Light - 8 Inch - Rose

Product Code: BR-WCWL8-RS

H: 26.5 cm x W: 24 cm x D: 30 cm





We meet all UK and EU lighting and safety regulations.

Our products are hand finished to ensure an authentic vintage look and therefore the may vary slightly from those shown in the images.

**SPECIFICATIONS** 

**Bulb required:** Standard screw (E27) fitting, max 40W.

Shade weight: 0.17 kg | Holder weight: 0.6 kg

Maximum weight: 0.77 kg

#### Finishes: Rusty, Pewter.

Ready to be installed, installation required.

**INFORMATION** 

Wall mount screws not included.

The lights can be operated by both the flick switch or the main switch.

Holders available: Brass, Pewter, Copper.

Wall rose: Pewter.

Shade Diameter: 24 cm / 9.5" Shade Height (no holder): 20 cm / 7.8" Holder Diameter: 6 cm / 2.5 Holder Height: 18 cm / 7.1" Wall Rose Diameter: 12 cm / 4.9"

Wall Rose Height: 2 cm / 0.8

# Brooklyn

These ceiling fittings are completely pre-wired and only require a small amount of assembly after connecting to the mains wiring:

- Once the holder is Installed, unscrew the black ring.

- Hold the cage in place onto the holder.

- Once in place, begin to screw the black ring.

- Once secure it will hold the shade to the holder, your Orlando Balloon Wall fitting is now installed.
# Balloon 218

# Brooklyn Balloon Cage Wall Light - 6 Inch

Product Code: BR-BCWL6

H: 38.5 cm x W: 14 cm x D: 30 cm







#### SPECIFICATIONS

#### INFORMATION

#### DIMENSIONS

I

We meet all UK and EU lighting and safety regulations.

Maximum weight: 0.85 kg

Our products are hand finished to ensure an authentic vintage look and therefore the may vary slightly from those shown in the images.

**Bulb required:** Standard screw (E27) fitting, max 40W.

Shade weight: 0.25 kg |Holder weight: 0.65 kg

#### Finishes: Pewter, Copper.

Ready to be installed, installation required.

Wall mount screws not included.

The lights can be operated by both the flick switch or the main switch.

Holders available: Brass, Pewter, Copper.

Wall rose: Pewter.

Shade Diameter: 14 cm / 5.5"
Shade Height (no holder): 22 cm / 8.6"
Holder Diamter: 6 cm / 2.4"
Holder Height: 16.5 cm / 7.1"
Wall Rose Diameter: 12 cm / 4.7"
Wall Rose Height: 2 cm / 0.8"



# Brooklyn Outdoor & Bathroom

These ceiling fittings are completely pre-wired and only require a small amount of assembly after connecting to the mains wiring:

Once the wall holder is installed, unscrew the black ring.

- Hold the shade in place onto the holder.

- After holding the shade in its place, place the threaded metal ring beneath the shade (if you don't want to have a shade, simply screw the threaded metal ring directly on the

#### holder).

- Once in place, begin to screw the black ring.

- Once secure, it will hold the shade and the threaded metal ring to the holder.

- Once in place, install the bulb.

- After installing the bulb, screw in the glass cover.

- Once secure, your Outdoor Brooklyn Wall Light is now installed.

# Wall Light Holder – Tube 222 Wall Light Holder – Globe 223 Tube Glass 224 Globe Glass 225 Dome 226

### Brooklyn Outdoor & Bathroom Wall Light Holder - Tube Glass

Product Code: BR-IP65-WLH

H: 16.5 cm x W: 13.5 cm x D: 25 cm



- 222 -

Holder weight: 0.94 kg | Glass: weight: 0.3 kg

## Brooklyn Outdoor & Bathroom Wall Light Holder - Globe Glass

Product Code: BR-IP65-WLH-GLG

H: 16.5 cm x W: 13.5 cm x D: 25 cm



### Brooklyn Outdoor & Bathroom Wall Light - Tube Glass

Product Code: BR-IP65-WL

H: 32.5 cm x W: 13.5 cm x D: 25 cm



Weight: 1 kg

# Brooklyn Outdoor & Bathroom Wall Light -Globe Glass

Product Code: BR-IP65-WL-GLG

H: 31 cm x W: 15 cm x D: 28 cm



### **Brooklyn Outdoor & Bathroom Dome Wall Light - 8 Inch - Tube Glass**

Product Code: BR-IP65-DWL8

H: 32.5 cm W: 20 cm D: 27 cm



safety regulations.

Our products are hand finished to ensure an authentic vintage look and therefore the may vary slightly from those shown in the images.

Bulb required: Standard screw (E27) fitting, max 40W.

Shade weight: 0.4 kg Holder weight: 1 kg

Maximum weight: 1.4 kg

Ready to be installed, installation required.

Holders available: Brass, Pewter, Copper.

Wall mount screws not included.

IP rating: IP65 with Tube glass.

Shade Height (no holder): 10 cm / 4"

Wall Rose Diameter: 13.5 cm / 5.3"

Holder Diameter: 6 cm / 2.5"

Holder Height: 16 cm / 6.2"

Wall Rose Height: 3 cm / 1.2"



# Orlando

These ceiling fittings are completely pre-wired and only require a small amount of assembly after connecting to the mains wiring:

- Once the wall holder is Installed, Unscrew the black ring attached to the holder.

- Unscrew the nut/screw at the bottom of the cage; this will release the cage opening.

- Unscrew the two small nuts from the top of the cage opening.

- Hold the cage in place and begin to screw the black ring.

- Install the bulb through the cage opening.

- Screw back the two small nuts on top of the cage and then the nut/screw at the bottom of the cage.

- Once secure it will hold the Cage to the holder, your Orlando Cage Wall Light is now installed.

228

Wire Cage 230 Cylinder 231

# **Orlando Wire Cage Wall Light - 4 Inch**

Product Code: OR-WCWL4

H: 31 cm x W: 10 cm x D: 15 cm







#### SPECIFICATIONS

We meet all UK and EU lighting and safety regulations.

Our products are hand finished to ensure an authentic vintage look and therefore the may vary slightly from those shown in the images.

**Bulb required:** Standard screw (E27) fitting, max 40W.

Shade weight: 0.19 kg | Holder weight: 0.31 kg

#### Maximum weight: 0.5 kg

INFORMATION

#### Finishes: Brass, Pewter.

Ready to be installed, installation required.

Wall mount screws not included.

Holders available: Brass, Pewter.

Wall rose: Brass, Pewter.

Shade Diameter: 10 cm / 4″
Shade Height (no holder): 16 cm / 6.3″
Holder Diameter:: 4 cm / 1.6"
Holder Height: 15 cm / 5.9″
Wall Rose Diameter: 13 cm / 5″
Wall Rose Height: 4 cm / 1.6″

DIMENSIONS

# **Orlando Cylinder Wall Light - 3 Inch**

Product Code: OR-CYWL3

H: 39 cm x W: 8 cm x D: 14 cm





Wall Rose Diameter: 13 cm / 4.9" Wall Rose Height: 4 cm / 1.6"

We meet all UK and EU lighting and safety regulations. Our products are hand finished to ensure an

authentic vintage look and therefore the may vary slightly from those shown in the images.

**SPECIFICATIONS** 

**Bulb required:** Standard screw (E27) fitting, max 40W.

Shade weight: 0.5 kg | Holder weight: 0.31 kg

Maximum weight: 0.81kg

- 231 -

**INFORMATION** 

Ready to be installed, installation required.

Wall mount screws not included.

Holders available: Brass, Pewter.

Finishes: Brass, Pewter.

Wall rose: Brass, Pewter.

# Bulkhead

Please note our Bulkheads have internal fixing points and a glanded surface cable entry.

These ceiling fittings are completely pre-wired and only require a small amount of assembly after connecting to the mains wiring:

### Caution- Fragile item, extra care needed when installing.

- The front guard is secured by four

wing nuts, unscrew these wing nuts in order to install the bulb.

- Install the bulb.

- Holding the front guard back into place, screw back the four wing nuts taking extra care when handling the glass.

- Once secure, your Bulkhead is now installed.

# Oval 234

# Bulkhead Outdoor & Bathroom Oval Light 6 Inch - Side Wiring

Product Code: BK-IP65-OWL6-SW

H: 22 cm x W: 14.5 cm x D: 16.5 cm









#### SPECIFICATIONS

INFORMATION

#### DIMENSIONS

We meet all UK and EU lighting and safety regulations.

Our products are hand finished to ensure an authentic vintage look and therefore the may vary slightly from those shown in the images.

**Bulb required:** Standard screw (E27) fitting, max 40W.

Glass weight: 0.46 kg | Shade weight: 1.5 kg

#### Maximum weight: 1.96 kg

Ready to be installed, installation required.

Wall mount screws not included.

Finishes: Gunmetal, Brass, Black.

Glass: Ribbed.

IP rating: IP65 with glass.

Shade Diameter: 14.5 cm / 5.7" Shade Height (no holder): 22 cm / 8.7" Depth: 15 cm / 5.9" Depth including feet: 16.5 cm / 6.5"

## Bulkhead Outdoor & Bathroom Oval Light 6 Inch - Back Wiring

Product Code: BK-IP65-OWL6-BW

H: 22 cm x W: 14.5 cm x D: 17.5 cm





Depth including feet: 17.5 cm / 6.9"

We meet all UK and EU lighting and safety regulations.

Our products are hand finished to ensure an authentic vintage look and therefore the may vary slightly from those shown in the images.

**SPECIFICATIONS** 

**Bulb required:** Standard screw (E27) fitting, max 40W.

Glass weight: 0.46 kg | Shade weight: 1.5 kg

#### Maximum weight: 1.96 kg

**INFORMATION** 

Finishes: Gunmetal, Brass, Black.

Wall mount screws not included.

IP rating: IP65 with glass.

Glass: Ribbed.

Ready to be installed, installation required.

# Bulkhead

Please note our Bulkheads have internal fixing points and a glanded surface cable entry.

These ceiling fittings are completely pre-wired and only require a small amount of assembly after connecting to the mains wiring:

### Caution- Fragile item, extra care needed when installing.

- The front guard is secured by three

wing nuts, unscrew these wing nuts in order to Install the bulb.

- Install the bulb.

- Holding the front guard back into place, screw back the three wing nuts taking extra care when handling the glass.

- Once secure, your Bulkhead Wall Sconce is now installed.

# Round 238

# Bulkhead Outdoor & Bathroom Round Light 8 Inch – Side Wiring

Product Code: BK-IP65-RWL8-SW

H: 23 cm x W: 23 cm x D: 14.5 cm









#### SPECIFICATIONS

INFORMATION

#### DIMENSIONS

We meet all UK and EU lighting and safety regulations.

Our products are hand finished to ensure an authentic vintage look and therefore the may vary slightly from those shown in the images.

**Bulb required:** Standard screw (E27) fitting, max 40W.

Glass weight: 0.46 kg | Shade weight: 1.8 kg

#### Maximum weight: 2.26 kg

Ready to be installed, installation required.

Wall mount screws not included.

Finishes: Gunmetal, Brass, Black.

Glass: Clear, Ribbed.

IP rating: IP65 with glass.

Shade Diameter: 23 cm / 9.1" Shade Height (no holder): 23 cm/ 9.1" Depth: 13 cm / 5.1" Depth including feet: 14.5 cm / 5.7"

# Bulkhead Outdoor & Bathroom Round Light 8 Inch - Back Wiring

Product Code: BK-IP65-RWL8-BW

H: 23 cm x W: 23 cm x D: 15.5 cm







Finishes: Gunmetal, Brass, Black.	Shade Diameter: 23 cm / 9.1"
Ready to be installed, installation required.	Shade Height (no holder): 23 cm/ 9.1
Wall mount screws not included.	Depth: 13 cm / 5.1"
Glass: Clear, Ribbed.	Depth including feet: 15.5 cm / 5.7"
IP rating: IP65 with glass.	
	Ready to be installed, installation required. Wall mount screws not included. Glass: Clear, Ribbed.

#### Maximum weight: 2.16 kg

# Bulkhead

These ceiling fittings are completely pre-wired and only require a small amount of assembly after connecting to the mains wiring:

### Caution - Fragile item, extra care needed when installing.

- The front guard is secured by two nuts either side of the bulkhead, unscrew these nuts in order to install the bulb. - Once installed, screw in the glass cover, taking extra care not to screw too tightly and not using too much force.

- Holding the front guard back into place, screw back the two nuts taking extra care when handling the glass.

- Once secure, your Bulkhead Wall Light is now installed.

# Sconce 242

## **Bulkhead Outdoor & Bathroom** Sconce Wall Light - 12 Inch

Product Code: BK-IP65-SWL12

H: 30 cm x W: 12 cm x D: 17 cm







#### **SPECIFICATIONS**

DIMENSIONS

We meet all UK and EU lighting and safety regulations.

Our products are hand finished to ensure an authentic vintage look and therefore the may vary slightly from those shown in the images.

Bulb required: Standard screw (E27) fitting, max 40Ŵ.

Glass weight: 0.4 kg Shade weight: 1.5 kg - 4kg

#### **INFORMATION**

Finishes: Gunmetal, Copper, Black

Ready to be installed, installation required.

Wall mount screws not included.

IP rating: IP65 with glass.

Shade Diameter: 9 cm / 3.5" Shade Height (no holder): 30 cm / 11.8" Projection incl shade: 17 cm / 6.7"

Maximum weight: 4.4 kg



# Sleek

These ceiling fittings are completely pre-wired and only require a small amount of assembly after connecting to the mains wiring:

Caution - Always disconnect the power supply when changing the bulb.

- Ensure that the power supply has been disconnected.

- Insert an E27 bulb lightly but firmly into the socket, turn it clockwise until it locks into place or keeps gently twisting clockwise until it won't go any further.

- Once the bulb is in, turn the power back on again and switch on the light, your Sleek Wall Light is now installed.

# Edison 246 Long Arm 248

# **Sleek Edision Wall Light**

Product Code: SL-EWL

H: 14 cm x W: 8 cm x D: 11 cm







#### DIMENSIONS **SPECIFICATIONS INFORMATION** We meet all UK and EU lighting and Finishes: Brass, Pewter and Copper. Bulb Holder Diameter: 4.5 cm / 1.8" safety regulations. Bulb Holder Height: 7.1 cm / 2.8" Ready to be installed, installation required. Our products are hand finished to ensure an authentic vintage look and therefore the may Wall mount screws not included. Holder Diameter: 8 cm / 3.2" vary slightly from those shown in the images. Wall rose: Copper, Brass and Pewter. Holder Height: 14 cm / 5.5" Bulb required: Standard screw (E27) fitting, max 25Ŵ. Wall Rose Diameter: 8 cm / 3.2" Weight: 0.23 kg Wall Rose Height: 2 cm / 0.8"

## **Sleek Long Arm Wall Holder**

Product Code: SL-LA-WL

H: 24 cm x W: 8 cm x D: 26 cm





Shade weight: 0.3 kg | Holder weight: 0.3 kg

Maximum weight: 0.6 kg

Wall Rose Height: 2 cm / 0.8"



# Swan Neck

These ceiling fittings are completely pre-wired and only require a small amount of assembly after connecting to the mains wiring:

- Once the pendant holder is installed, unscrew the black ring.

- Hold the shade in place onto the holder.

- Once in place, begin to screw the black ring.

- Once secure, it will hold the shade to the holder, your Swan Neck is now installed.

# Angled Wall Holder 252 Cone – 8 Inch 253

# Swan Neck Angled Wall Holder

Product Code: SN-AWL

H: 27 cm x W: 13 cm x D: 31 cm



Weight: 0.6 kg
#### Swan Neck Cone Wall Light - 8 Inch

Product Code: SN-CWL8

H: 32 cm x W: 21 cm x D: 35 cm





SPECIFICATIONS	INFORMATION	DIMENSIONS
We meet all UK and EU lighting and	Finishes: Brass, Pewter.	Shade Diameter: 21 cm / 8.2"
safety regulations.	<ul> <li>Ready to be installed, installation required.</li> </ul>	Shade Height (no holder): 13.5 cm / 5.3"
Our products are hand finished to ensure an authentic vintage look and therefore the may	Wall mount screws not included.	Holder Depth: 6 cm / 2.3"
vary slightly from those shown in the images.	- Holders available: Brass, Pewter.	Holder Height: 25 cm / 10"
<b>Bulb required:</b> Standard screw (E27) fitting, max 40W.	Wall Mount: Pewter.	Ceiling Rose Diameter: 13 cm / 5.1"
Shade weight: 0.25 kg   Holder weight: 0.6 kg		Ceiling Rose Height: 3 cm / 1.2"

Maximum weight: 0.85 kg

# Swan Neck

These ceiling fittings are completely pre-wired and only require a small amount of assembly after connecting to the mains wiring:

- Once the wall holder is installed, unscrew the black ring.

- Hold the shade in place onto the holder.

- Once in place, begin to screw the black ring.

- Once secure, it will hold the shade to the holder, your Swan Neck is now installed.

Wall Holder 256 Cone – 7 Inch 257 Round 258 Dome 259 **Cone** – **12 Inch** 261 Step 262 Giant Step 263 Giant Hat 264 **Glass Funnel** 265 Glass Dome 266 Wire Cage 267

## **Swan Neck Wall Holder**

Product Code: SN-WL

H: 25 cm x W: 13 cm x D: 33 cm



Bulb required: Standard screw (E27) fitting,

max 40Ŵ. Weight: 0.6 kg

Holder Diameter: 6 cm / 2.3"
Holder Height: 25 cm / 10"
Projection: 23 cm / 9.1"
Wall Rose Diameter: 13 cm / 5.1"
Wall Rose Depth: 3 cm / 1.2"

#### Swan Neck Cone Wall Light - 7 Inch

Product Code: SN-CWL7

H: 38 cm x W: 18 cm x D: 39 cm





Wall Rose Diameter: 13 cm / 5.1"

Wall Rose Height: 3 cm / 1.2"

Maximum weight: 0.95 kg

SPECIFICATIONS

Our products are hand finished to ensure an

authentic vintage look and therefore the may

vary slightly from those shown in the images.

Bulb required: Standard screw (E27) fitting,

Shade weight: 0.35 kg | Holder weight: 0.6 kg

We meet all UK and EU lighting and

safety regulations.

max 40W.

**INFORMATION** 

Ready to be installed, installation required.

Wall mount screws not included.

Holders available: Brass, Pewter.

Finishes: Brass, Pewter.

## Swan Neck Round Wall Light - 8 Inch

Product Code: SN-RWL11

H: 32 cm x W: 21 cm x D: 35 cm







SPECIFICATIONS	INFORMATION	DIMENSIONS
We meet all UK and EU lighting and	Finishes: Brass, Pewter.	Shade Diameter: 26.5 cm / 10.4"
safety regulations.	Ready to be installed, installation required.	Shade Height (no holder): 13 cm / 5"
Our products are hand finished to ensure an authentic vintage look and therefore the may	Wall mount screws not included.	Holder Depth: 6 cm / 2.3"
vary slightly from those shown in the images.	- Holders available: Brass, Pewter.	Holder Height: 25 cm / 10"
<b>Bulb required:</b> Standard screw (E27) fitting, max 40W.		Wall Rose Diameter: 13 cm / 5.1"
Shade weight: 0.25 kg   Holder weight: 0.6 kg	-	Wall Rose Height: 3 cm / 1.2"

Maximum weight: 0.85 kg

#### Swan Neck Dome Wall Light - 8 Inch

Product Code: SN-DWL8

H: 33 cm x W: 20 cm x D: 40 cm





20 cm -

SPECIFICATIONS	INFORMATION	DIMENSIONS
We meet all UK and EU lighting and	Finishes: Brass, Pewter.	Shade Diameter: 20 cm / 8"
safety regulations.	Ready to be installed, installation required.	Shade Height (no holder): 10 cm / 4
Our products are hand finished to ensure an authentic vintage look and therefore the may	Wall mount screws not included.	Holder Diameter: 6 cm / 2.3"
vary slightly from those shown in the images.	Holders available: Brass, Pewter.	Holder Height: 25 cm / 10"
<b>Bulb required:</b> Standard screw (E27) fitting, max 40W.		Wall Rose Diameter: 13 cm / 5.1"
Shade weight: 0.4 kg   Holder weight: 0.6 kg		Wall Rose Height: 3 cm / 1.2"



#### Swan Neck Cone Wall Light - 12 Inch

Product Code: SN-CWL12

H: 44 cm x W: 30 cm x D: 40 cm





SPECIFICATIONS	INFORMATION	DIMENSIONS
We meet all UK and EU lighting and	Finishes: Brass, Pewter.	Shade Diameter: 30 cm / 12"
safety regulations.	- Ready to be installed, installation required.	Shade Height (no holder): 21 cm / 8.3
Our products are hand finished to ensure an authentic vintage look and therefore the may	Wall mount screws not included.	Holder Diameter: 6 cm / 2.3"
vary slightly from those shown in the images.	- Holders available: Brass, Pewter.	Holder Height: 25 cm / 10″
<b>Bulb required:</b> Standard screw (E27) fitting, max 40W.		Wall Rose Diameter: 13 cm / 5.1"
Shade weight: 0.85 kg   Holder weight: 0.6 kg	-	Wall Rose Height: 3 cm / 1.2"

Maximum weight: 1.45 kg

## Swan Neck Step Wall Light - 16 Inch

Product Code: SN-SWL16

H: 36 cm x W: 41 cm x D: 50.5 cm







SPECIFICATIONS	INFORMATION	DIMENSIONS
We meet all UK and EU lighting and	Finishes: Brass, Pewter.	Shade Diameter: 41 cm / 16"
safety regulations.	Ready to be installed, installation required.	Shade Height (no holder): 13 cm / 5.1"
Our products are hand finished to ensure an authentic vintage look and therefore the may	Wall mount screws not included.	Holder Diameter: 6 cm / 2.3"
vary slightly from those shown in the images.	Holders available: Brass, Pewter.	Holder Height: 25 cm / 10"
Bulb required: Standard screw (E27) fitting, max 40W.		Wall Rose Diameter: 13 cm / 5.1"
Shade weight: 1.2 kg   Holder weight: 0.6 kg		Wall Rose Height: 3 cm / 1.2"

Maximum weight: 1.8 kg

#### Swan Neck Giant Step Wall Light - 18 Inch

Product Code: SN-GSWL18

H: 38 cm x W: 46 cm x D: 53 cm

This luminaire is compatible with bulbs of the energy classes :

874/2012

INDUSTVILLE

- 13 cm -

46 cm

DIMENSIONS

Holder Diameter: 6 cm / 2.3"

Wall Rose Diameter: 13 cm / 5.1" Wall Rose Height: 3 cm / 1.2"

Holder Height: 25 cm / 10"



Our products are hand finished to ensure an authentic vintage look and therefore the may vary slightly from those shown in the images.

Bulb required: Standard screw (E27) fitting, max 40W.

Shade weight: 1.4 kg Holder weight: 0.6 kg

Maximum weight: 2 kg

Wall mount screws not included.

Holders available: Brass, Pewter.

### Swan Neck Giant Hat Wall Light - 21 Inch

Product Code: SN-GHWL21

H: 43 cm x W: 53 cm x D: 56.5 cm







SPECIFICATIONS	INFORMATION	DIMENSIONS
We meet all UK and EU lighting and	Finishes: Brass, Pewter.	Shade Diameter: 53 cm / 21″
safety regulations.	Ready to be installed, installation required.	Shade Height (no holder): 20 cm / 7.9"
Our products are hand finished to ensure an authentic vintage look and therefore the may	Wall mount screws not included.	Holder Diameter: 6 cm / 2.3"
vary slightly from those shown in the images.	Holders available: Brass, Pewter.	Holder Height: 25 cm / 10"
<b>Bulb required:</b> Standard screw (E27) fitting, max 40W.		Wall Rose Diameter: 13 cm / 5.1"
Shade weight: 1.8 kg   Holder weight: 0.6 kg		Wall Rose Height: 3 cm / 1.2"

Maximum weight: 2.4 kg

#### Swan Neck Glass Funnel Wall Light - 7 Inch

Product Code: SN-GLFWL7

H: 38 cm x W: 18 cm x D: 39 cm





SPECIFICATIONS	INFORMATION	DIMENSIONS
Ne meet all UK and EU lighting and	Finishes: Glass.	Shade Diameter: 18 cm / 7"
safety regulations.	Ready to be installed, installation required.	Shade Height (no holder): 13 cm / 5″
Our products are hand finished to ensure an authentic vintage look and therefore the may	Wall mount screws not included.	Holder Diameter: 6 cm / 2.3"
vary slightly from those shown in the images.	Holders available: Brass, Pewter.	Holder Height: 25 cm / 10"
<b>Bulb required:</b> Standard screw (E27) fitting, max 40W.	Wall rose: Brass, Pewter.	Wall Rose Diameter: 13 cm / 5.1"
Shade weight: 0.6 kg   Holder weight: 0.6 kg		Wall Rose Height: 3 cm / 1.2"

Maximum weight: 1.2 kg

### Swan Neck Glass Dome Wall Light - 8 inch

Product Code: SN-GLDWL8

H: 32 cm x W: 20 cm x D: 40 cm







INFORMATION	DIMENSIONS
Finishes: Glass.	Shade Diameter: 20 cm / 7.8"
Ready to be installed, installation required.	Shade Height (no holder): 9 cm / 3.5"
Wall mount screws not included.	Holder Diameter: 6 cm / 2.3"
Holders available: Brass, Pewter.	Holder Height: 25 cm / 10"
Wall rose: Brass, Pewter.	Wall Rose Diameter: 13 cm / 5.1"
	Wall Rose Height: 3 cm / 1.2"
	Finishes: Glass.         Ready to be installed, installation required.         Wall mount screws not included.         Holders available: Brass, Pewter.

#### Swan Neck Wire Cage Wall Light

Product Code: SN-WCWL4

H: 39 cm x W: 13 cm x D: 34 cm



# Swan Neck Outdoor & Bathroom

These ceiling fittings are completely pre-wired and only require a small amount of assembly after connecting to the mains wiring:

Caution - fragile item, extra care needed when installing.

- Once the wall holder is installed, install the bulb.

- After installing the bulb, screw in the glass cover.

- Once secure, your Swan Neck Wall Light is now installed.

## Wall Holder – Tube 270 Wall Holder – Globe 271 Tube Glass 272 Globe Glass 273

#### **Swan Neck Outdoor & Bathroom Dome Wall Light - 8 Inch - Tube Glass**

Product Code: SN-IP65-WLH

H: 21 cm x W: 14 cm x D: 33 cm



Our products are hand finished to ensure an authentic vintage look and therefore the may vary slightly from those shown in the images.

Bulb required: Standard screw (E27) fitting, max 40W.

Maximum weight: 1 kg

Wall mount screws not included.

Holders available: Brass, Pewter, Copper.

Wall rose: Pewter.

IP rating: IP65 with glass (Tube, Globe).

Holder Diameter: 33 cm / 12.9"
Holder Height: 21 cm / 8.2"
Wall Rose Diameter: 14 cm / 5.5"

Wall Rose Depth: 3 cm / 1.2"

#### Swan Neck Outdoor & Bathroom Dome Wall Light - 8 Inch - Globe Glass

Product Code: SN-IP65-WLH-GLG

H: 21 cm x W: 14 cm x D: 33 cm



#### Swan Neck Outdoor & Bathroom Wall Light - Tube Glass

Product Code: SN-IP65-WL

H: 37.5 cm x W: 13.5 cm x D: 32.5 cm



#### SPECIFICATIONS

INFORMATION

#### DIMENSIONS

We meet all UK and EU lighting and safety regulations.

Our products are hand finished to ensure an authentic vintage look and therefore the may vary slightly from those shown in the images.

**Bulb required:** Standard screw (E27) fitting, max 40W.

Weight: 1 kg

#### Finishes: Brass, Pewter, Copper.

Ready to be installed, installation required.

Wall mount screws not included.

Wall rose: Pewter.

**IP rating:** IP65 with Tube glass.

Holder Diameter: 32.5 cm / 12.8"
Holder Height: 22.5 cm / 8.9"
Wall Rose Diameter: 13.5 cm / 5.3"
Wall Rose Depth: 3 cm / 1.2"

#### Swan Neck Outdoor & Bathroom Wall Light - Globe Glass

Product Code: SN-IP65-WL-GLG

H: 37 cm x W: 15 cm x D: 36 cm



# Swan Neck Outdoor & Bathroom

These ceiling fittings are completely pre-wired and only require a small amount of assembly after connecting to the mains wiring:

- Once the wall holder is installed, unscrew the black ring.

- Hold the shade in place onto the holder.

- After holding the shade in its place, place the threaded metal ring beneath the shade (if you don't want to have a shade, simply screw the threaded metal ring directly on the holder).

- Once in place, begin to screw the black ring.

- Once secure, it will hold the shade and the threaded metal ring to the holder.

- Once in place, install the bulb.

- After installing the bulb, screw in the glass cover.

- Once secure, your Swan Wall Light is now installed.

Dome 276 Step 280 Giant Step 281 Giant Hat 282 Giant Bell 283

#### Swan Neck Outdoor & Bathroom **Dome Wall Light - 8 Inch - Tube Glass** Product Code: SN-IP65-DWL8 H: 35.5 cm x W: 20 cm x D: 39 cm 33 cm . This luminaire is compatible with bulbs Т - 3 cm -- 26 cm of the energy classes 21 cm 874/2012 \*\*\*\*\*\*\* INDUSTVILLE 14 cm 35.5 cm 10 cm – 20 cm – – 39 cm

#### **SPECIFICATIONS**

#### **INFORMATION**

#### DIMENSIONS

We meet all UK and EU lighting and safety regulations.

Our products are hand finished to ensure an authentic vintage look and therefore the may vary slightly from those shown in the images.

Bulb required: Standard screw (E27) fitting, max 40W.

Shade weight: 0.4 kg | Holder weight: 1 kg

Maximum weight: 1.4 kg

Finishes: Brass, Copper, Pewter & Copper, Pewter & Brass.

Ready to be installed, installation required.

Wall mount screws not included.

Holders available: Brass, Pewter, Copper.

Wall rose: Pewter.

IP rating: IP65 with Tube glass.

Shade Diameter: 20 cm / 8″
Shade Height: 10 cm / 4″
Holder Diameter: 33 cm / 12.9"
Holder Height: 21 cm / 8.2″
Wall Rose Diameter: 14 cm / 5.5"
Wall Rose Depth: 3 cm / 1.2"

#### **Swan Neck Outdoor & Bathroom** Dome Wall Light - 13 Inch

Product Code: SN-IP65-DWL13

H: 41 cm x W: 33 cm x D: 45.5 cm



We meet all UK and EU lighting and safety regulations.

Our products are hand finished to ensure an authentic vintage look and therefore the may vary slightly from those shown in the images.

Bulb required: Standard screw (E27) fitting, max 40W.

Shade weight: 1.1 kg | Holder weight: 1 kg

Pewter & Brass.

Ready to be installed, installation required.

Wall mount screws not included.

Holders available: Brass, Pewter, Copper.

Wall rose: Pewter.

IP rating: IP65 with glass (Tube, Globe).

Shade Diameter: 33 cm / 13"
Shade Height (no holder): 21 cm / 8.3″
Holder Diameter: 31.5 cm / 12.4"
Holder Height: 20 cm / 7.8"
Wall Rose Diameter: 14 cm / 5.5"

Wall Rose Depth: 3 cm / 1.2"



INFORMATION

Finishes: Brass, Copper, Pewter & Copper,

Ready to be installed, installation required.

Holders available: Brass, Pewter, Copper.

IP rating: IP65 with glass (Tube, Globe).

Wall mount screws not included.

Pewter & Brass.

Wall rose: Pewter.

#### DIMENSIONS

Shade Diameter: 44 cm / 17.3"

Holder Diameter: 31.5 cm / 12.4"

Wall Rose Diameter: 14 cm / 5.5"

Holder Height: 20 cm / 7.8"

Wall Rose Depth: 3 cm / 1.2"

Shade Height (no holder): 24.5 cm / 9.6"

We meet all UK and EU lighting and safety regulations.

Our products are hand finished to ensure an authentic vintage look and therefore the may vary slightly from those shown in the images.

**Bulb required:** Standard screw (E27) fitting, max 40W.

Shade weight: 2.1 kg | Holder weight: 1 kg

Maximum weight: 3.1 kg

#### Swan Neck Outdoor & Bathroom Dome Wall Light - 18 Inch

Product Code: SN-IP65-DWL18

H: 46 cm x W: 46 cm x D: 52 cm



Wall mount screws not included.

Holders available: Pewter, Copper.

Wall rose: Pewter.

IP rating: IP65 with glass (Tube, Globe).

max 40W.

Bulb required: Standard screw (E27) fitting,

Shade weight: 2.1 kg | Holder weight: 1 kg

Holder Height: 20 cm / 7.8"

Wall Rose Depth: 3 cm / 1.2"

Wall Rose Diameter: 14 cm / 5.5"

#### Swan Neck Outdoor & Bathroom Step Wall Light - 16 Inch

Product Code: SN-IP65-SWL16

H: 35 cm x W: 41 cm x D: 49.5 cm



SPECIFICATIONS	INFORMATION	DIMENSIONS
We meet all UK and EU lighting and safety regulations.	Finishes: Brass.	Shade Diameter: 41 cm / 16"
	Ready to be installed, installation required.	Shade Height (no holder): 13 cm / 5.1″
Our products are hand finished to ensure an authentic vintage look and therefore the may vary slightly from those shown in the images.	Wall mount screws not included.	Holder Diameter: 31.5 cm / 12.4"
	Holders available: Brass, Pewter.	Holder Height: 20 cm / 7.8"
<b>Bulb required:</b> Standard screw (E27) fitting, max 40W.	Wall rose: Pewter.	Wall Rose Diameter: 14 cm / 5.5"
Shade weight: 1.2 kg   Holder weight: 1 kg	IP rating: IP65 with glass (Tube, Globe).	Wall Rose Depth: 3 cm / 1.2"
Maximum weight: 2.2 kg	•	_

#### Swan Neck Outdoor & Bathroom Giant Step Wall Light - 18 Inch

Product Code: SN-IP65-GSWL18

H: 36 cm x W: 46 cm x D: 52 cm



Maximum weight: 2.4 kg

#### Swan Neck Outdoor & Bathroom Giant Hat Wall Light - 21 Inch

Product Code: SN-IP65-GHWL21

H: 40 cm x W: 53 cm x D: 55 cm



We meet all UK and EU lighting and Shade Diameter: 53 cm / 21" Finishes: Brass. safety regulations. Ready to be installed, installation required. Shade Height (no holder): 20 cm / 7.9" Our products are hand finished to ensure an authentic vintage look and therefore the may Wall mount screws not included. Holder Diameter: 31.5 cm / 12.4" vary slightly from those shown in the images. Holders available: Brass, Pewter. Holder Height: 20 cm / 7.8" Bulb required: Standard screw (E27) fitting, Wall rose: Pewter. Wall Rose Diameter: 14 cm / 5.5" max 40W. Shade weight: 1.4 kg | Holder weight: 1 kg IP rating: IP65 with glass (Tube, Globe). Wall Rose Depth: 3 cm / 1.2" Maximum weight: 2.4 kg

#### Swan Neck Outdoor & Bathroom Giant Bell Wall Light - 20 Inch

Product Code: SN-IP65-GBLWL20

H: 50 cm x W: 51 cm x D: 54.5 cm



# Swivel

These fittings are completely pre-wired and only require installation of the bulb after connection to the mains wiring.

## Single 286 Double 287

## Swivel Spotlight Flush Mount/Wall Light - Single



Our products are hand finished to ensure an authentic vintage look and therefore the may vary slightly from those shown in the images.

**Bulb required:** Standard screw (E27) fitting, max 40W.

Maximum weight: 0.63 kg

Ready to be installed, installation required.

Wall mount screws not included.

Wall Mount: Pewter.

Shade Diameter: 11 cm / 4.3" Shade Height (no holder): 12 cm / 4.7" Ceiling Rose Height: 8 cm / 3.1" Ceiling Rose Width: 8 cm / 3.1"

### Swivel Spotlight Flush Mount/Wall Light - Double

Product Code: SW-SFM-D

H: 12 cm x W: 28 cm x D: 11 cm



# Harbour

These ceiling fittings are completely pre-wired and only require a small amount of assembly after connecting to the mains wiring:

- Once the wall holder is installed, install the bulb.

- After installing the bulb, affix the cage by twisting it on the wall holder.

- Your Harbour Wall Sconce is now installed.
## Harbour 290

## Harbour Flush Mount/Wall Light - 6 Inch

Product Code: HR-WLFM6

H: 24 cm x W: 23 cm x D: 32 cm







#### SPECIFICATIONS

INFORMATION

#### DIMENSIONS

We meet all UK and EU lighting and safety regulations.

Our products are hand finished to ensure an authentic vintage look and therefore the may vary slightly from those shown in the images.

**Bulb required:** Standard screw (E27) fitting, max 40W.

Maximum weight: 1 kg

#### Finishes: Pewter.

Ready to be installed, installation required.

Wall mount screws not included.

Wall Mount: Pewter.

Shade Diameter: 23 cm / 9"
Shade Height (no holder): 24 cm / 9.5"
Wall Rose Diameter: 12 cm / 4.9"
Holder Diameter: 15 cm / 5.9″
Holder Height: 15 cm / 5.9″



# Harbour

These ceiling fittings are completely pre-wired and only require a small amount of assembly after connecting to the mains wiring:

- Once the wall holder is installed, install the bulb.

- After installing the bulb screw in

the glass cover taking extra care not to screw too tightly and not using too much force.

- Affix the cage by twisting it on to the wall holder.

- Once secure, your Wall Light is now installed.

## Outdoor & Bathroom 294

## Harbour Outdoor & Bathroom Flush Mount/Wall Light - 6 Inch

Product Code: HR-IP65-WLFM6-P

H: 29 cm x W: 23 cm x D: 32 cm



#### SPECIFICATIONS

– 12 cm —

INFORMATION

#### DIMENSIONS

We meet all UK and EU lighting and safety regulations.

Our products are hand finished to ensure an authentic vintage look and therefore the may vary slightly from those shown in the images.

**Bulb required:** Standard screw (E27) fitting, max 40W.

Maximum weight: 1.3 kg

Ready to be installed, installation required.

Wall mount screws not included.

Wall Mount: Pewter.

Finishes: Pewter.

IP rating: IP65 with glass.

Shade Diameter: 23 cm / 9″
Shade Height (no holder): 19 cm / 7.4"
Ceiling Rose Diameter: 14 cm / 5.5"
Ceiling Rose Height: 3 cm / 1.2"
Holder Diameter: 6 cm / 2.3"
Holder Height: 23 cm / 9″



# LongArm

These ceiling fittings are completely pre-wired and only require a small amount of assembly after connecting to the mains wiring:

- Once the wall holder is installed, unscrew the black ring.

- Hold the shade in place onto the holder.

- Once in place, begin to screw the black ring.

- Once secure, it will hold the shade to the holder, your is now installed.

Wall Holder 298 Dome 299 Cone 303 Flat 304 Step 305 Giant Step 307 Giant Hat 308 Giant Bell 309 Wire Cage 310

## Long Arm Wall Holder

Product Code: LA-WL-P





## Long Arm Dome Wall Light - 8 Inch

Product Code: LA-DWL8

H: 35 cm x W: 20 cm x D: 101 cm



## Long Arm Dome Wall Light - 13 Inch

Product Code: LA-DWL13

H: 44 cm x W: 33 cm x D: 107.5 cm



Maximum weight: 2.6 kg

Wall Plate Depth: 2.5 cm / 0.9"

## Long Arm Dome Wall Light - 17 Inch



H: 47.5 cm x W: 44 cm x D: 113 cm



## Long Arm Dome Wall Light - 18 Inch

Product Code: LA-DWL18

H: 49 cm x W: 46 cm x D: 114 cm



**Bulb required:** Standard screw (E27) fitting, max 40W.

Shade weight: 2.1 kg Holder weight: 1.5 kg

Maximum weight: 3.6 kg

Wall Plate Height: 19.5 cm / 7.6"

## Long Arm Cone Wall Light – 12 Inch

Product Code: LA-CWL12

H: 33 cm x W: 30 cm x D: 106 cm



## Long Arm Flat Wall Light – 15 Inch

Product Code: LA-FWL15

H: 34 cm x W: 38 cm x D: 110 cm



Maximum weight: 2.4 kg

## Long Arm Step Wall Light - 16 Inch

Product Code: LA-SWL16

H: 44 cm x W: 41 cm x D: 111 cm



Max weight: 3.1 kg

Wall Plate Depth: 2.5 cm / 0.9"

### Long Arm Step Wall Light - 16 Inch - With Cage

Product Code: LA-SWL16

H: 44 cm x W: 41 cm x D: 111 cm



## Long Arm Giant Step Wall Light - 18 Inch

Product Code: LA-GSWL18

H: 38 cm x W: 46 cm x D: 114 cm



## Long Arm Giant Hat Wall Light - 21 Inch

Product Code: LA-GHWL21

H: 43 cm x W: 53 cm x D: 117.5 cm



Max weight: 3.3 kg

Wall Plate Depth: 2.5 cm / 0.9"

## Long Arm Giant Bell Wall Light - 20 Inch

\_\_....

Product Code: LA-GBLWL20

H: 53 cm x W: 51 cm x D: 116.5 cm



## Long Arm Wire Cage Wall Light - 4 Inch

#### Product Code: LA-WCWL4



Max weight: 1.7 kg



# Table Lamps

The lamp comes fully assembled with a portable plug in chordset.

- Simply place the table lamp on a flat surface like a table.

- Always ensure the light fitting is switched off from the mains before installing and changing the bulb. Once switched off, thread an E27 light bulb on to the bulb holder.

- The table lamp is adjustable only at the points highlighted (A) on the following spec sheet.

- Connect the plug in chordest emerging out from the table lamp into the mains connection.

# Pharmacy Dome 314

## Brooklyn Pharmacy Adjustable Dome Table Lamp - 7 Inch - Gunmetal



H: 60 cm x W: 15 cm x D: 17 cm



Plug: UK AC power plug BS1362.

Adjustable: in point A

vary slightly from those shown in the images.

Bulb required: Standard screw (E27) fitting,

max 40Ŵ.

Maximum weight: 2.5 kg

Shade Diameter: 1/ cm / 6./" Shade Height: 8 cm / 3.1" Arm Depth: 2 cm / 0.7" Arm Height: 28 cm / 11" Base Diameter: 15 cm / 6" Base Height: 7.5 cm / 2.9" Overall Height: 60 cm / 23"



# Credits

FRONT COVER **Project Featured** Photographed by James French Photography

PAGE 6 **Project Featured** Photographed by James French Photography

#### PAGE 8

**Project Featured** Naomi Page @barncornversionblog. Photographed by Andy Haslam Photography

#### PAGE 10

**Project Featured** Joseph Cheaney & Sons. Photographed by Andy Haslam Photography

#### PAGE 14

**Project Featured** Photographed by Andy Haslam Photography

#### PAGE 45

**Project Featured** Humble Gape. Photographed by Andy Haslam Photography

#### PAGE 81

**Project Featured** Grove Beer Tap & Grill. Designed by Snook Architects. Photographed by Andy Haslam Photography

PAGE 89 **Project Featured** Moose, London. Photographed by Andy Haslam Photography

PAGE 92 **Project Featured** Caffè Nero. Photographed by Andy Haslam Photography

#### PAGE 97

**Project Featured** Photographed by Andy Haslam Photography

#### **PAGE 103**

**Project Featured** Designed by Snook Architects. Photographed by Andy Haslam Photography

PAGE 109 Project Featured Frog, Hoxton

PAGE 113 **Project Featured** Photographed by Andy Haslam Photography

PAGE 129 **Project Featured** Watchfinder & Co. Photographed by Andy Haslam Photography

PAGE 135 **Project Featured** Photographed by Andy Haslam Photography

PAGE 157 **Project Featured** Photographed by Andy Haslam Photography

PAGE 171 **Project Featured** Photographed by Andy Haslam Photography

PAGE 175 **Project Featured** Photographed by Andy Haslam Photography

PAGE 179 **Project Featured** Photographed by Andy Haslam Photography

PAGE 183 **Project Featured** Photographed by Andy Haslam Photography

PAGE 191 **Project Featured** Photographed by Andy Haslam Photography

@barncornversionblog. Photographed by Andy Haslam Photography

PAGE 195 **Project Featured** Industville PAGE 217 **Project Featured** Plough, Sewardstone

PAGE 199 **Project Featured** Wright Brothers. Photographed by Andy Haslam Photography

PAGE 225

**Project Featured** Photographed by Andy Haslam Photography

PAGE 241 **Project Featured** Photographed by Andy Haslam Photography

PAGE 247 **Project Featured** Photographed by Andy Haslam Photography

PAGE 289 **Project Featured** Photographed by Andy Haslam Photography

PAGE 293 **Project Featured** Photographed by Andy Haslam Photography

PAGE 309 **Project Featured** Photographed by Andy Haslam Photography

#### PAGE 313

**Project Featured** Naomi Page @barncornversionblog. Photographed by Andy Haslam Photography

PAGE 316 & 317 Project Featured Naomi Page





Industville Ltd 218D, 1 Swan Road, London, SE18 5TT

> sales@industville.co.uk +44 (0) 20 7971 7871 www.industville.co.uk



#### INDUSTVILLE