


Ensure the earth bonding complies with relevant regulations.

- L (Live) = Brown wire
- (\pm) (Protective Earth) = Green /Yellow sleeved wire
- N (Neutral) = Blue wire



Ensure the control dials are aligned with the spindles and replace the cover.

cables

Tighten the three cover screws.

Do not use alternative screws to secure the cover. This can cause internal damage to the appliance.

Terminal

Block (RH)

Use the terminal block location

that is most appropriate for

your installation i.e. If the

electric supply is on the right

hand side then use the right

Strip back sufficient outer

cable insulation to enable

routing to the terminal block.

Fit an earth sleeve to the

Insert the wires into the

Tighten the screws in the

terminal block, ensure the

For falling or rising supplies

wires are secure and tight.

hand terminal block.

earth wire.


terminal block.


1

cold position.

3


5






The shower must be commissioned before use, please refer to section: 'COMMISSIONING'.

This completes the installation. 13





COMMISSIONING

Turn temperature control to the Turn power control to low.


Switch on the electrical supply. Push START/STOP button.

6


POWER

4


2



Turn power control to High.



Adjust temperature as required Note! Flow rate will reduce when temperature setting is increased.





A small amount of water may continue to drain over a few minutes

Note! A slight hissing sound may be heard from the shower during operation. High mains water pressure and high shower temperatures will affect the tone. This is quite normal in use.

FAULT DIAGNOSIS

Warning! There are no user serviceable components beneath the cover of the appliance. In the event of a malfunction of the shower, the troubleshooting information below provides details on possible causes and remedies that may be carried out by qualified, competent personnel. Non-qualified personnel should refer to the fault diagnosis section in the users guide.

Symptom	Possible Cause	Possible Remedy	
o hot water from he shower, with he controls in CO/HIGH osition	Insufficient water supply pressure	Contact local water authority	
	Failure of the microswitch or thermal switch	Check the continuity of the switches, using a suitable continuity measuring device. Replace the switches as necessary	
	An internal wiring connection has failed	Check the integrity of the internal wiring	
	One of the heater tank elements has failed	Replace the heater tank assembly	
	Switch assembly fault	Replace On / Off switching assembly	
he shower imperature ycles between ot and cold with ower control in CO/HIGH	The hose or showerhead is blocked	De-scale showerhead, check hose for kinks or damage and replace if necessary. Refer to the User Maintenance section of the user guide	
	The temperature is set too high. This is causing the thermal switch to turn off the heating element to reduce the water temperature	Turn the temperature control anticlockwise to reduce the water temperature or turn the power control to ECO. DO NOT TAMPER with the thermal switch	
urning the imperature ontrol does not ffect the water imperature	The flow regulator is faulty	Replace the heater tank assembly	
	The hose or showerhead is blocked	De-scale showerhead, check hose for kinks or damage and replace if necessary. Refer to the User Maintenance section of the user guide	
o water or very w flow rate	The hose or showerhead is blocked	De-scale showerhead, check hose for kinks or damage and replace if necessary. Refer to the User Maintenance section of the user guide	
	The incoming water supply stop valves, or the appliance isolating valve is closed	Open the stop/isolating valve completely	
	Insufficient water supply pressure	Contact the local water authority	
ower LED does ot illuminate	Electrical supply failure (MCB, pull cord etc.)	Check electrical supply	
hen the pull cord operated	Power LED faulty	Replace the wiring loom	

low flow rate	excessively scaled
	The inlet filter is blocked
	The fuse is blown or the MCB / RCD been tripped, indic a possible electric fault; for example, heater tank eleme failure
	The on / off switch assembly is faulty
	The start / stop sw is faulty
	The solenoid coil i faulty
Water leaks from the bottom of the case near the outlet and there is no flow from the showerhead	The pressure relie valve in the tank h been triggered (us due to a blocked outlet), when the valve operates a s rubber ball is eject
The water cannot be turned off	The on / off switch assembly is faulty
	The start / stop sw is faulty
	The supply pressu is below the minim required

The state state state

No water of

low flow ra

Water leal

the bottom

no flow fro

SERVICING

WARNING

There are no user serviceable parts inside the shower. Servicing of the shower must only be carried out by qualified, competent personnel following the instructions provided in this guide and those provided with any spare part. Before replacing any parts, ensure that the underlying cause of the malfunction has been resolved.

Cleaning the Inlet Filter

Warning! Isolate the electrical and water supplies before removing the cover.

Remove the cover.

Remove the elbow from the inlet connector.


Note! Depending on your installation it may be necessary to remove the shower from the wall to allow filter removal. In this case isolate all supplies and follow steps 6 - 8 in reverse order as detailed in section: 'INSTALLATION'.


Prise the filter from the inlet connector assembly

Rinse the filter under a running tap to remove any lodged particles. If necessary, use a kettle descalent in accordance with the manufacturer's instructions. Refit the inlet filter and follow steps 7 and 10 as described in section: 'INSTALLATION'.


Note! If the shower was removed from the wall, steps 6, 7, 8 and 10 will need to be followed as described in section: 'INSTALLATION'.

Follow the steps detailed in section: 'COMMISSIONING' to prepare the shower for use.






is ed	Replace the heater tank assembly
	Clean the inlet filter
n D has licating ical e, ent	Switch on the power at the double pole switch
ching Y	Replace on / off switching assembly
witch	Replace start / stop switch
lis	Replace solenoid coil
ief has usually e relief small cted	Resolve the blocked outlet and replace the heater tank assembly
ching Y	Replace on / off switching assembly
witch	Replace start / stop switch
sure mum	Check the static water pressure. Note that the static water pressure may fall below the minimum requirement when other appliances are drawing water, for example the dishwasher or the washing machine




ACCESSORIES

Genuine Mira accessories can be purchased direct from Customers Services (our contact details can be found on the back cover of this guide) or from approved stockists or merchants.


Inlet Pipe Accessory 1788.443 Designed to simplify the retrofitting of a Mira shower onto existing pipework. Note! Some adjustment of pipe length may be necessary.



WIRING DIAGRAM



SPARE PARTS



CUSTOMER SERVICE

Guarantee

ťœ

Your product has the benefit of our manufacture's guarantee which starts from date of purchase. This guarantee only applies in the United Kingdom and Republic of Ireland. To activate this guarantee, please return your completed registration card, visit our website or free phone 0800 0731248 within 30 days

of purchase (UK only). Within the guarantee period we will resolve defects in materials or workmanship, free of charge, by repairing or replacing parts or product as we may choose.

This guarantee is in addition to your statutory rights and is subject to the following conditions:

- The guarantee applies solely to the original installation under normal use and to the original purchaser only. The product must be installed and maintained in accordance with the instructions given in this guide.
- Servicing must only be undertaken by us or our appointed representative. Note! If a service visit is required the product must be fully installed and connected to services.
- Repair under this guarantee does not extend the original expiry date. The guarantee on any replacement parts or product ends at the original expirv date
- For shower fittings or consumable items we reserve the right to supply replacement parts only.

The guarantee does not cover:

- Call out charges for non product faults (such as damage or performance issues arising from incorrect installation, improper use, inappropriate cleaning, lack of maintenance, build up of limescale, frost damage, chemical attack, corrosion, system debris or blocked filters) or where no fault has been found with the product.
- Water or electrical supply, waste and isolation issues.
- · Compensation for loss of use of the product or consequential or indirect loss of any kind.
- Damage or defects caused if the product is repaired or modified by persons not authorised by us or our appointed representative.
- Accidental or wilful damage

Products purchased ex-showroom display.

What to do if something goes wrong

If your product does not work correctly refer to this manual for fault diagnosis and check that it is installed and commissioned in accordance with our instructions.

If this does not resolve the issue, contact us for help and advice.

Extended Guarantees

A selection of protection plans are available that enable you to cover repair bills (excludes Eire). Ring 01922 471763 for more details.

- Helpdesk Service Contact our Customer Services Team for product advice, to purchase spare parts or accessories or to set up service visit. You can contact us via phone or e-mail - contact details below. Please provide your model name, power rating (if applicable) and date of purchase.
- Mira Showers Website (www.mirashowers.co.uk)
- Visit our website to register your guarantee, download user guides, diagnose faults, purchase our full range of accessories and popular spares, or request a service visit.

Spares and Accessories - We hold the largest stocks of genuine Mira spares and accessories. Contact us for a price or visit our website to purchase items from our accessory range and popular spares. (Only available in the United Kingdom)

Service/Repairs - No one knows our products better than our ationwide team of Service Technicians. We can carry out service or repair work to your product both during and after the guarantee period (Only available in the United Kingdom and Republic of Ireland). Ask about our fixed price service repairs.

To Contact Us

- 0844 571 5000
 - Fax: 01242 282595
 - E-mail:
 - www.mirashowers.co.uk/contactus Mira Customer Services Dept
 - Cromwell Road, Cheltenham,
- Gloucestershire GL52 5EP To Contact Us: Eire Only 01 531 9337
- CustomerServiceEire@mirashowers.com Mira is a registered trade mark of
- Kohler Mira Limited. The company reserves the right to alter FM 14648 product specifications without notice. 1224546-W2-D
 - © Kohler Mira Limited, May 2017

mina


SHOWERS

Mira Jump

7.5, 8.5, 9.5 and 10.8 kW Electric Shower

Mira Sprint

8.5, 9.5 and 10.8 kW Electric Shower



mīna For SPARES, ADVICE or REPAIRS Please call us on 0844 571 5000

These instructions must be left with the user

Installation Guide

Showering perfection



INTRODUCTION

Thank you for choosing a Mira shower. To enjoy the full potential of your new shower, please take time to read this guide thoroughly, and keep it handy for future reference

Products manufactured by Kohler Mira Ltd are designed to be safe, provided that they are installed, used and maintained in good working order, in accordance with our instructions and recommendations. Follow all warnings, cautions and instructions contained in this guide. and on, or inside the shower. This guide is also available in electronic format on our website or by contacting customer services.

This product has separate controls for power selection and for temperature/flow adjustment. A unique flow regulator stabilises any temperature changes caused by water pressure fluctuations, which can result from taps being turned on or off or toilets being flushed.



Electrical and electronic devices contain a range of materials that can be separated for recycling and used in new products

This shower should not be disposed of with your general household waste. When this shower has reached the end of its serviceable life please take it to a recognised WEEE (Waste Electrical and Electronic Equipment) collection facility such as your local civic amenity site for recycling.

Your local authority or retailer will be able to advise you of your nearest collection facility.

Mira Electric Showers covered by this guide:

Product	kW	Model Number	Colour
Mira Jump	7.5	J08 Hb	
	8.5	J08 Db	
	9.5	J08 Eb	
	10.8	J08 Fb	White / Chrome
Mira Sprint	8.5	J08 Da	
	9.5	J08 Ea	
	10.8	J08 Fa	

Guarantee

This product has been designed for domestic use only, Mira Showers guarantee this product against any defect in materials or workmanship for a period of two years from the date of purchase (shower fittings for one year)

For terms and conditions, refer to the back cover of this guide.

Recommended Usage

Domestic	✓
Light Commercial	✓
Heavy Commercial	×
Healthcare	×

IMPORTANT SAFETY INFORMATION

WARNING - This shower can deliver scalding temperatures, cause fire, electric shock or other personal injury if not installed, operated or maintained in accordance with the instructions. warnings and cautions contained in this guide and on or inside the appliance.

Please read the important safety information and the installatio requirements detailed in this guide before installing the shower. Failure to follow the instructions provided with this shower will invalidate the guarantee

TO REDUCE THE RISK OF FIRE, ELECTRIC SHOCK OR INJURY:

- Installation of this shower must be carried out in accordance with these instructions by qualified, competent personnel.
- Isolate the electrical and water supplies before commencing installation. The electricity must be isolated at the consumer unit and the appropriate circuit fuse removed, if applicable. Mains connections are exposed when the cover is removed.
- **DO NOT** install the shower in areas with high humidity and temperature (i.e. steam rooms and saunas)
- DO NOT install the shower where it may be exposed to freezing conditions. Ensure that any pipework that could become frozen is properly insulated.

- **DO NOT** switch the shower on if there is a possibility that the water in the shower is frozen
- DO NOT switch the shower on if water starts leaking from the shower case. Isolate the electrical supply to the shower immediately
- **DO NOT** connect the outlet of the shower to any tap, control valve, trigger operated handset or showerhead other than that specified for use with this shower. Only Kohler Mira recommended accessories should be used.
- The water supplies to this product must be isolated if the product is not to be used for a long period of time. If the product or pipework is at risk of freezing during this period they should also be drained of water.
- DO NOT perform any unspecified modifications, or drill or cut holes in the product other than as instructed by this guide. When servicing only use genuine Kohler Mira replacement parts.
- If the shower is dismantled during installation or servicing then upon completion the product must be inspected to ensure all electrical connections are tight and that there are no leaks.
- Read all installation instructions before installing this shower.
- 12 Upon completion of the installation, make sure that the user is familiar with the operation of the shower, and leave this guide and the user guide with the owner.

SPECIFICATION

7.5

70 kPa

(0.7 bar)

7.5

32 A

This range of electric showers complies with the following European

2006/95/EC Low Voltage Directive, 2004/108/EC EMC Directive,

This range of electric showers are high power appliances and are

subject to conditional connection. If the main electrical supply fuse is

rated less than 80 Amps, the local electricity supply company must be

This range of showers complies with the requirements of the UK's

contacted to confirm if the electrical supply is adequate.

356 mm

225 mm

107 mm

Variant

500 kPa (5.0 bar)

1000 kPa (10 bar)

50 kPa (0.5 bar)

30°C

2°C

15 mm Compression / Pushfit Coupling

200 ppm CaCO.

1/2" BSP Male

7.5 kW 8.5 kW 9.5 kW

6.9 kW 7.8 kW 8.7 kW

Variant

8.5 9.5

40 A 40A

16 mm²

30 mA tripping current

45 A double-pole with 3 mm contact

separation

IP X4 - Suitable for installation in Zone 1

30°C

2°C

9.5

70 kPa

(0.7 bar)

10.8

100 kPa

(1.0 bar)

10.8

10.8 kW

9.9 kW

45 A

8.5

70 kPa

(0.7 bar)

Dimensions

Heiaht

Width

Depth

Plumbing

Min Dynamic Pressure

Max Dynamic Pressure

Max Static Pressure

Max Inlet Temperature

Min Inlet Temperature

Max Water Hardness

Nominal Power at 240 V ac

Nominal Power at 230 V ac

Recommended MCB Rating

Recommended RCD Rating

Appliance Sealing Rating

Max Ambient Temperature

Min Ambient Temperature

2011/65/FU RoHS Directive

water regulations.

European Conformity Information

Max Supply Cable Size

Recommended Isolator

Outlet Connection


Electrica

Switch

directives

Min Static Pressure

Inlet Connection



INSTALLATION REQUIREMENTS

PLUMBING


1 x Installation Guide

The plumbing installation must comply with all national or local water regulations and all relevant building regulations, or any particular regulation or practice specified by the local water supply company

1 x User Guide

- 2 Do not install the product in a position in which service access is limited.
- Decide on a suitable position for the shower (minimum distance 3. of 200 mm from the ceiling to allow for cover fit and removal).
- The shower is suitable for installation within the shower area and is fitted with a pressure relief valve. It must be positioned over a water catchment area with the controls at a convenient height for the use
- 5. The shower must be fitted to a waterproof flat and even wall surface
- DO NOT fit the shower to the wall and tile up to the case.
- DO NOT seal the gap between the shower and the wall surface.
- The showerhead should be positioned so that it discharges down the centre line of the bath or across the opening of a shower cubicle
- The showerhead must be directed away from the shower unit, during normal use the showerhead must not spray directly on to the shower unit
- 10. **DO NOT** apply excessive force to plumbing connections; always provide mechanical support when making plumbing connections. Any soldered joints should be made before connecting the shower.
- The position of the shower and shower fittings must provide a minimum gap of 25 mm between the showerhead and the spill over level of any bath, shower tray or basin and a minimum gap of 30 mm between the showerhead and the spill over level of any toilet, bidet or other appliance with a Fluid Category 5 backflow risk.

Note! There will be occasions when the hose retaining ring will not provide a suitable solution for Fluid Category 3 installations, in these instances an outlet double checkvalve must be fitted, this will increase the required supply pressure typically by 10kPa (0.1 bar). Double checkvalves fitted in the inlet supply to the appliance cause a pressure build up, which affect the maximum static inlet pressure for the appliance and must not be fitted. For Fluid category 5 double checkvalves are not suitable.




Hose retaining ring fitted and shower fittings fixed at a suitable height preventing dirty water backflow.

- 12. This shower is not designed to be plumbed directly from the rear. For rear-entry supply, add an elbow to the supply pipe and connect as a rising or a falling supply.
- 13. If pipework and/or electrical cables enter the shower from the rear through a hole in the wall provision must be made to prevent water ingress back into the wall structure.
- mains water supply, only use the inlet connection supplied with the shower DO NOT use any other type of fitting.
- 15. A full bore/non restrictive servicing valve must be fitted in a readily accessible position adjacent to the shower to facilitate
- maintenance of the shower. DO NOT use a valve with a loose washer plate (jumper) as this can lead to a build up of static pressure A water treatment device should be installed where the water
- hardness may exceed 200 ppm. Malfunctions caused by excessive limescale formation are not covered by this shower's guarantee (see back page for details).
- during normal use.
- has been completed and checked for leaks.

ELECTRICAL

- The electrical installation must comply with BS 7671 (commonly referred to as the IEE Wiring Regulations) and all relevant building regulations, or any particular regulation or practice specified by the local electricity supply company.
- 2. Ensure that all circuit protection devices, switches and cabling is adequate for the rated current of the shower and that the rating of the electricity supply company fuse and the consumer unit are adequate for the additional demand.
- The shower **must** be earthed. Ensure any supplementary bonding complies with the relevant regulations.
- fixed electrical wiring of the mains system. A separate supply must be provided from the consumer unit to the shower.
- extractor fans or pumps via this product
- that is incorporated into the fixed wiring in accordance with the relevant local wiring regulations. This must be a double pole switch, which has at least 3 mm contact separation in each pole. The switch can be a ceiling mounted pull-cord type within the shower room or a wall mounted switch fitted in the applicable zone area.
- must be incorporated into the electrical supply to this shower in accordance with current wiring regulations. When replacing an existing electric shower we recommend that a 30mA RCD be incorporated in accordance with current wiring regulations if not already provided

PACK CONTENTS



All electrical connections should be checked for tightness to prevent overheating before switching on the electrical supply.

6

plugs (supplied) or appropriate wall fixings for your installation.

Install the shower fittings (Refer to the Shower Fittings

Installation and User Guide packed with the product).

and check connection for leaks