




Quadrant Shower enclosure


















Fitting Instructions

Please follow them carefully and
leave this manual with end user


Fitting list:

Diagrams are for illustration purposes only. Your Shower Enclosure may superficially differ from this drawing however the installation guide steps still apply.







1  D6X25 6Pcs	2  ST4X30 6Pcs	3  RF-6Y04 12Pcs	4  ST4X12 14Pcs	5  RF-6W01 2Pcs	6  RF-6Z02 2Pcs	7  RF-6Z02 2Pcs	1760mm													
8  RF-6Z02 2Pcs	9  RF-6Y05 2Pcs	10  RF-6X01 2Pcs	11  RF-6X02 4Pcs	12  RF-6W06-11 2Pcs	13  RF-6X03 4Pcs	14  RF-6Z01 1Pair	A+B													
15  RF-6Y02 4Pcs	16  RF-6Y05 8Pcs	17 Optional parts  RF-6Y01 6Pcs	18 Optional parts  RF-6W02 2Pcs	<table border="1"> <tr> <td>800 x 800</td> <td>900 x 900</td> <td>760 x 900</td> <td>800 x 1000</td> <td>800 x 1200</td> <td>900 x 1200</td> </tr> <tr> <td>12 RF-6W06</td> <td>RF-6W07</td> <td>RF-6W08</td> <td>RF-6W09</td> <td>RF-6W10</td> <td>RF-6W11</td> </tr> </table>				800 x 800	900 x 900	760 x 900	800 x 1000	800 x 1200	900 x 1200	12 RF-6W06	RF-6W07	RF-6W08	RF-6W09	RF-6W10	RF-6W11	
800 x 800	900 x 900	760 x 900	800 x 1000	800 x 1200	900 x 1200															
12 RF-6W06	RF-6W07	RF-6W08	RF-6W09	RF-6W10	RF-6W11															

Tools:











	L	W
800 x 800	760 x 780	760 x 780
900 x 900	860 x 880	860 x 880
760 x 900	720 x 740	860 x 880
800 x 1000	760 x 780	960 x 980
800 x 1200	760 x 780	1160 x 1180
900 x 1200	860 x 880	1160 x 1180




3




4




Using a spirit level: Ensure the profiles and the glass is set true and level.



5




6




7-a

Without concealed profile




7-1

Ø3.2mm




7-2

4x6




7-3

3x12




7-4




7-b

With concealed profile



7-1


Ø3.2mm



7-2


4x6

17x6








7-3


18x2



7-4




8



9

Attention:

Do not use your shower enclosure within 24 hours of assembly. Do not use caustic cleaning products or abrasive material when cleaning your shower enclosure.



Safety Information for User & Installer

Important information for fitter:

- We recommend that this product is installed by a qualified tradesperson, Victorian Plumbing Ltd. accept no liability for products incorrectly installed, or where the correct testing procedures have not been adhered to, thus resulting in consequential damage.
- Incorrect installation of the enclosure will invalidate guarantee.

Important information for fitter:

- Carefully check the product for transport damage prior to installation.
- Never install damaged panels as there is a risk of spontaneous glass breakage. The supplied fixings/wall plugs are only for mounting directly on solid walls.
- It is essential that the solid, masonry/walls be inspected for adequate load-bearing capacity prior to every installation. The supplied fixings/wall plugs are not for use with stud walls such as plaster board, wood, metal or fiber board.
- Always seek professional advice to confirm wall type and appropriate type of fixing to be used for installation. Always check walls for concealed utility lines (power, gas, and water) prior to drilling the fixing holes.

Special information on handling glass:

- Always protect all glass edges from damage.
- Never stand the glass on its corners throughout the installation! Place the packing material beneath the glass panel; never place the glass on tiles, concrete floors or similarly hard surfaces.
- It is mandatory to check each glass panel for damage prior to installation. Never install damaged glass panels as this could cause spontaneous glass breakage!
- If the glass panel is damaged during use it must be replaced without delay. (Failure could cause a risk of spontaneous glass breakage!)

Prevent damage to glass or operation of the product:

- Ensure fittings do not hinder the movement of the door.
- Ensure that no objects are within the range of the door opening/ closing area.
- Avoid hitting the panels with hard objects such as mops when cleaning or tools during assembly. Damaged panels must be replaced as failures may cause latent glass breakage.
- Do not hit against the glass edge with hard or pointed objects (e.g. with mop handle) Damaged panels must be replaced; damage may cause spontaneous glass breakage.
- Do not use panels or handles to hang or support items such as drying towels or clothes.

Maintenance Information

Service/repair and inspection for safety

- After cleaning, check all the moving elements are sufficiently greased, re-grease if necessary, only use acid-free grease.

Cleaning

Do not use steam cleaners, caustic or aggressive cleaning and scouring agents, cleaners that corrode plastics, or solvents containing acetone, turpentine or neat bleach.

- Do not use any cleaning agents, which according to the manufacturer's specifications may corrode aluminium or light alloys.
- Do not use glass cleaning pastes and micro-fibre cloths to prevent damage to glass coating system.
- In order to prevent the build-up of lime scale, remove any remaining drops of water after showering using a squeegee, soft cloth without any cleaning agent.
- After use, carefully rinse off all residue such as; liquid soaps, shampoos, shower gels or similar cosmetic product with water to avoid deposits.

Important: Never apply the cleaning agent for longer than necessary. After cleaning, check all the moving elements are sufficiently greased, re-grease if necessary.

Recycling and Disposal

Please recycle the packaging in accordance with your local government regulations on waste handling, and follow the same advice at the end of the products life.

For more Information

Visit: victorianplumbing.co.uk

Notes:

Notes:

www.victorianplumbing.co.uk