


6mm Sliding Door

Refer To Sheet 10 For Relevant Product Codes



Handle is supplied in separate carton (H).
Universal fitting for left or right hand opening.
Left hand opening illustrated.

BEFORE YOU START, HERE IS SOME IMPORTANT INFORMATION

1) General Information

Please inspect this product upon delivery, any missing parts or manufacturing defects must be reported immediately to the supplier. Damage or defects reported later will not be accepted. **TAKE CARE WHEN HANDLING GLASS PARTS - AVOID HEAVY CONTACT BETWEEN THE GLASS EDGES AND ANY HARD SURFACE.**

Glass breakage claims will not be accepted after the product has been unpacked.

Please note: Aluminium is a soft metal, and undergoes a series of extrusion, fabrication, polishing and anodising processes in order to create your finished shower enclosure. Some light surface marks are normal, and is a result of the manufacturing processes. Quality control has ensured that this item is of a good standard, and is fit for purpose.






2) Additional Notes

Please read these instructions carefully before starting installation.

Special care should be taken when drilling walls to avoid hidden pipes or electrical cables.

Note: this product is heavy and may require two people to install.

TOOLS REQUIRED


DESCRIPTION	PART IMAGE	DESCRIPTION	PART IMAGE
Tape measure		Drill	
Spirit level		Flat-head Screwdriver	
Pencil		Cross head Screwdriver	 PZ1
Ø6mm Drill bit		Mallet	
Ø3mm Drill bit		Silicone Sealant	



This product is heavy and may require two people to install.

ASSEMBLY INSTRUCTIONS - DRAWING

NB: ALL MEASUREMENTS + COMPONENT SIZES QUOTED ARE IN MM.



PACK I.D

- E (1) 6x Wall plugs
- E (2) 6x Screws 4x30
- B (3) 2x Wall profiles
- C (4) 2x Vertical seals A for door
- C (5) 1x Insert seal
- A (6) 1x Moving door panel
- E (7) 8x Screws 3.5x12
- E (8) 4x Cover caps for fixing bracket
- E (9) 2x Bottom rollers
- C (10) 2x Top and bottom seals

PACK I.D

- B (11) 2x Top and bottom rails
- E (12) 1x Gasket fitting hand tool
- E (13) 1x Screw sleeve
- E (14) 2x Top and bottom glass clips
- A (15) 1x Fixed panel
- E (16) 1x Wedge gasket seal
- C (17) 1x Vertical seal B for fixed panel
- H (18) 1x Handle (Supplied Separately)
- E (19) 2x Top rollers
- E (20) 1x Allen key

ASSEMBLY INSTRUCTIONS – RECESS FITTING


If you require help, we advise you to contact a competent plumber

NOTE: This product is fully reversible. To install the opposite hand to what is shown please take care to assemble the glass clips in STEP 5 in the correct direction, and install the fixed panel glass in STEP 7 to the other side of the frame.


Installation Steps

THESE DIMENSIONS ASSUME THE WALLS ARE PLUMB AND THE SHOWER TRAY IS LEVEL, AND THAT THE WALLS ARE TILED DOWN TO THE TOP OF THE TRAY USING A 10MM TILE/WET WALL PANEL.

Fitted sliding door drawing




Fitted sliding door and side panel drawing




STEP 1 CHECK BOX CONTENTS ARE CORRECT AND THEN MEASURE KEY COMPONENTS.

Measurement Matrix (before assembly)	Dimension in mm			
Units supplied loose for self assembly	BSD1004	BSD1104	BSD1204	BSD1404
Top/Bottom horizontal profiles	936	1036	1136	1336
Moving panel glass	1827x510x6	1827x560x6	1827x610x6	1827x710x6
Flat fixed panel glass	1786x440x6	1786x490x6	1786x540x6	1786x640x6
Wall posts	1850x59	1850x59	1850x59	1850x59


STEP 2 DRAWING TO SHOW CORRECT SHOWER TRAY INSTALLATION




STEP 3 TRAY TO BE LEVEL
MAKE SURE THE TRAY IS LEVEL, USING A SPIRIT LEVEL, BEFORE INSTALLING THIS SHOWER PANEL / DOOR, AND THAT SILICONE IS APPLIED ON ALL SIDES WHERE THE TRAY MEETS THE TILES / WET WALL PANELS.





STEP 4 ASSEMBLING THE FRAME AND GLASS CLIPS





STEP 5 LIFT FRAME ONTO THE TRAY, MARK WALL FIXING POSITIONS, REMOVE THE FRAME AND DRILL WALL



STEP 6 LIFT FRAME BACK ONTO THE TRAY AND SCREW THE FRAME TO WALL




STEP 7 CENTRALISE THE TOP AND BOTTOM RAILS, THEN ASSEMBLE THE FIXED PANEL




Note : Glass sits on the pre-fitted bottom seal

STEP 8 FIXING THE WALL PROFILES, TOP AND BOTTOM RAILS AND SEALS







NB! Only use light pressure when drilling.
Take care not to drill or mark the outer profile surface,
only the inner profile face is to be drilled.


STEP 9 FITTING THE DOOR AND ROLLERS




STEP 10 ADJUSTING THE DOOR




STEP 11 FITTING THE SEALS



STEP 12 FITTING THE HANDLE AND INSERT SEAL



STEP 13 SILICONE THE OUTSIDE EDGES



**Allow 24 hours for silicone to dry before use.
Silicone on the outside edge only**

CARE AND MAINTENANCE

1) AFTER CARE INSTRUCTIONS

Regularly clean your shower product with warm soapy water to prevent lime scale build up. Do not use abrasive cleaning fluids or materials, or strong chemical cleaners as this will damage the product surface.

2) MAINTENANCE

Clean the plastic parts with a cloth and mild detergent. Never use any abrasive creams, dissolvents, acetone or detergents and disinfectants that contain chlorine. The supplier accepts no liability for any type of use or care other than those contained in these instructions. The supplier reserves the right to introduce technical changes without notice.

COMMITMENT TO QUALITY

It is our intention that the quality and functions of this product are of the highest standard. If you require help we advise you firstly contact a competent plumber. However we understand that this may not always be the case, so should you experience any problems please contact our customer services quoting the following:

Product name: 6mm Sliding Door

Product code: BSD1004/BSD1104/BSD1204/BSD1404

Customer help line number: 0344 804 48 48



Victoria Plum Limited, Bridgehead Business Park
Hessle, HU13 0DG

18

EN 14428 : 2015
DOP No.:J180709001-1

Shower enclosures with aluminium
profiles and safety glass

Essential characteristics	Performance	Harmonised technical specification
Cleanability	Pass	Clause 4.2 of EN 14428:2015
Impact resistance/shatter properties	Pass	Clause 4.3 of EN 14428:2015
Durability	Pass	Clause 4.4 of EN 14428:2015

The packaging you have received with your product is 100% recyclable.
It must be disposed of in a safe and environmentally friendly way.
We suggest you take it to the local landfill site and discard in the designated bins.