

INSTALLATION INSTRUCTIONS FOR NON LIGHTED CABINETS

Before installing this product pay special attention to these instructions. These products can safely be fitted into Zone 2.

Cleaning Instructions

In order to maintain the quality finish of this product please do not use any abrasives or solvents when cleaning this product. Use only a damp cloth for cleaning this product.

Do not allow water to stand on any part of the mirror.

Please clean any spillage that may affect the quality of the finish as described above.

Special Care

Care Should be exercised when cleaning this product. Although its finish is extremely durable, it can be damaged by harsh abrasives and cleaning pads. To clean, use a light, non-abrasive cleaning solution or cleaning polish.

Packing information & installation

Package content:


- Cabinet
- Screws
- Manual
- Technical page



Attention: Never modify the construction or add any parts which are not offered as spare parts. Any unauthorized modification might result in weak mounting and risk that mirror cabinet parts of the luminaire can fall down from the wall.

Note: Install the mirror at least 15cm. away from the basin.

Features



Adjustable Hinge (Select Models Only)


110° opening and closing range

If the cabinet door isn't flat, it can be adjusted using the screw (c) hidden behind the removable cover on hinge.

WARNING: The distance between the door and the cabinet should not be too small.Otherwise the door can't be opened and may lead to the door to rupture.

Rotate CW: Distance between door and cabinet reduces. Rotate CCW: Distance between door and cabinet increases.

Note:Some models can open less than 110 degree.Please open and close door softly and avoid application of power to prevent rupture of door.



Adjustable Glass Shelving Panel

The height of the glass laminate can be adjusted up and down.

Step1: Unscrew and take out the glass shelves

Step2: Unscrew the glass shelf mounter and adjust height

Safety Warning:Do not disassemble the door unless necessary.




Hanging the Cabinet

Installation Procedure

This product should be installed on a wall suitable to hold its weight. The installation must be carried out by a professional and wrong installation may lead to product damage and personal injury.


Installation Tools



Installation Steps

1. Fixing the bar

- Open the product packaging, and check whether the product has any exception or functional damage; if yes, please return it.
- After selecting the location of the mirror cabinet, check whether the wall is solid, measure the distance of the holes in the aluminum alloy bar with a tape measure and mark the wall with a level and pencil (Fig. 1).
- Drill holes in the marked position with electric drill and \$\phi4\$ drill bit, and use special ceramic drill if the wall surface is ceramic tile.
- Knock the expansion plugs into the holes in the wall with a hammer, and then tighten the screws with a screwdriver to fix the bar, and check the level with a spirit level (Fig. 2).






Hanging the Cabinet

2. Positioning and Installation of Mirror Cabinet

- Attach the mirror cabinet to the bar as shown in Fig. 3, open the cabinet door, and mark on the wall(b2) with a pencil through the backplate hole (b1).
- Remove the mirror cabinet, drill the fixing hole in the wall in the marked position, and place the expansion plugs (Fig. 4).
- Repeat the operation as shown in Fig. 3 and mount the mirror cabinet to the bar, and then tighten the screws on the backplate (Fig. 5).
- Finally, check the mirror for level.



Recycling and disposal

Please recycle the packaging in accordance with your local government regulations on waste handling, and follow the same advice at the end of the products life.

For more Information

Visit: victorianplumbing.co.uk

