

Luxury Traditional Basin Stand CARE & ATTENTION

Dear Customer

For fitting instructions please see overleaf.

Thank you for purchasing your new luxury traditional basin stand to suit your Silverdale Bathrooms basin.

You have chosen the combination and natural beauty of solid timber legs with hand crafted brass frame. The legs are finished with superior quality antibacterial wood stains that enhance the natural beauty of the wood grains. As with all natural wooden products, natural variations occur and we want to be sure you understand what normal standards to expect and how to look after your frame ensuring it retains its beauty for a lifetime of use.

The frame is finished with a high quality electroplating and again we want to ensure its beauty for a lifetime.

CARE:

Remove any spills or stains with a damp cloth and mild detergent. An application of light furniture polish to the legs is all that is needed to maintain the luxury finish. Buff with a soft lint free cloth.

DO NOT use any household cleaners or abrasive powders as this may damage your product and invalidate your guarantee.

THINGS TO AVOID:

The legs have been sealed with a superior anti-bacterial water resistant coating and in a normal bathroom environment should not be affected by brief contact with water. However, any prolonged exposure to excessive damp conditions or direct extended contact with water may affect the wood and cause it to deteriorate. Please ensure no standing water or leaking fittings are in contact with your product.

Additionally, do not expose to any direct source of heat such as a radiator as this may fade or crack the finish.

NATURAL PRODUCTS PLEASE NOTE:

Your product is carefully crafted by hand. Although every attempt has been made to ensure that your colour is consistent, natural wood products do contain blemishes, knots and scars, which will create variations in colour. Unlike man made products this is a desirable feature of your wooden purchase and adds to its beauty. No two pieces are identical, so expect slight variations

Above all remember you have bought a premium quality natural product which will give you years of enjoyment if you treat it with care and follow these simple guidelines.

A Tradition of Excellence

Silverdale Bathrooms

UK Manufacturers of Luxury Ceramic Brands Silverdale Road Newcastle under Lyme Staffordshire ST5 6EL Tel:01782 717175Facsimile:01782 717166Email:sales@silverdalebathrooms.co.ukWeb:www.silverdalebathrooms.co.uk



Luxury Traditional Basin Stand FITTING INSTRUCTIONS

Your new luxury basin stand is specifically designed to perfectly suit your premium quality Silverdale Bathrooms basin.

THE FRAME IS EASILY ASSEMBLED AND FIXED IN PLACE BY FOLLOWING THESE SIMPLE INSTRUCTIONS:-

If you follow the care instructions overleaf, the stands life can be prolonged for many years of use.

PLEASE CHECK THE CONTENTS PRIOR TO ASSEMBLY/INSTALLATION. This pack includes the following:

2 x SOLID WOOD LEGS (A) 1 x PLATED FRAME (B) 2 x PLATED SQUARE FEET (C) 2 x 1 ³/₄ SCREWS (D) 2 x 1 ¹/₂ SCREWS (E) 2 x WALL PLUGS (F) 2 x 3m x 10mm MACHINE SCREWS (G) 2 x 6m x 20mm MACHINE SCREWS (H) 2 x WALL FIXING BRACKETS (I)

IF THERE ARE ANY COMPONENTS MISSING, PLEASE CONTACT OUR CUSTOMER SERVICES TEAM ON **01782** 7**17175**.

INSTALLATION

- 1. Screw the 2 x square feet to the bottom of each leg, using the 2 x $1\frac{1}{2}$ screws. (see diagram overleaf Fig.1)
- 2. Offer the legs to the wall and mark the wall to align with the cut outs in the back of the legs (see diagram overleaf Fig. 2)
- 3. Lay the legs face down on a clean surface that will not scratch the wood. With the slots uppermost, (be aware there is a left and right hand leg) you will see that each leg has a single captive nut. (see diagram overleaf Fig.3).
- 4. Position the frame into the slots on the legs and fix into position with the 2 x 6m x 20mm machine screws. DO NOT over tighten as this will deform the frame.
- 5. Fix the 2 x Wall fixing brackets to the wall (marked earlier), using the 2 x wall plugs and 2 x 1³/₄ screws. The distance between the centre of the wall brackets should be 740mm (see diagram overleaf Fig.4).
- 6. Carefully lift the assembled frame into the upright position and slide the side arms of the frame over the wall brackets and secure using the 2 x 3m x 10mm machine screws. (see diagram overleaf Fig.4).

Your basin stand is now ready to accept your Silverdale Bathrooms basin. The top of the legs will locate within the hollow discs in the underside of the basin.



Luxury Traditional Basin Stand FITTING INSTRUCTIONS

